

Version: 1.3

Product number: 212815

Revision Date: 15.09.2022

Print Date: 16.09.2022

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Product number 212815  
Product name AZ 15nXT (450CPS) Photoresist

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the Sub- : Materials for use in technical applications  
stance/Mixture

**1.3 Details of the supplier of the safety data sheet**

Company Merck KGaA \* 64271 Darmstadt \* Germany \* Phone:+49 6151 72-0  
Responsible Department \* e-mail: ELECTRONICS\_SDS@merckgroup.com

**1.4 Emergency telephone number**

+49 6151 722440

CHEMTREC International Emergency Telephone Number +1 703-741-5970 [CCN 842835]

---

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

Specific target organ toxicity - single ex- H336: May cause drowsiness or dizziness.  
posure, Category 3, Central nervous  
system

**2.2 Label elements****Labelling (REGULATION (EC) No 1272/2008)**

Hazard pictograms :



Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.  
H336 May cause drowsiness or dizziness.

Precautionary statements : **Prevention:**  
P210 Keep away from heat.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## AZ 15nXT (450CPS) Photoresist

Version: 1.3

Product number: 212815

Revision Date: 15.09.2022

Print Date: 16.09.2022

### Hazardous components which must be listed on the label:

2-methoxy-1-methylethyl acetate

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Organic mixture in:  
solvent

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2-methoxy-1-methylethyl acetate	108-65-6 203-603-9 607-195-00-7 01-2119475791-29-xxxx	Flam. Liq. 3; H226 STOT SE 3; H336 (Central nervous system)	>= 50 - <= 100
Hexakis(methoxymethyl)melamine	3089-11-0 221-422-3	Eye Irrit. 2; H319	>= 1 - < 10
1,8-Naphthalimidyl triflate	85342-62-7	Eye Irrit. 2; H319	>= 1 - < 10

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

If inhaled : fresh air. Call in physician.

In case of skin contact : rinse out with polyethylene glycol 400 or a mixture of polyethylene glycol 300/ethanol 2:1 and wash with plenty of water. If neither is available wash with plenty of water. Immediately take off contaminated clothing. Seek medical advice immediately.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## AZ 15nXT (450CPS) Photoresist

Version: 1.3

Product number: 212815

Revision Date: 15.09.2022

Print Date: 16.09.2022

- 
- |                        |   |  |
|------------------------|---|--|
| In case of eye contact | : | rinse out with plenty of water.<br><br>Remove contact lenses.  |
| If swallowed           | : | caution if victim vomits. Risk of aspiration! Keep airways free.<br>Call a physician immediately.<br>Pulmonary failure possible after aspiration of vomit. |

### 4.2 Most important symptoms and effects, both acute and delayed

- |          |   |   |
|----------|---|---|
| Symptoms | : | somnolence<br>Drowsiness<br><br>Nausea<br>Vomiting<br>Headache<br>Unconsciousness<br>narcosis<br>Cyanosis |
|----------|---|---|

### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |   |                           |
|-----------|---|---------------------------|
| Treatment | : | No information available. |
|-----------|---|---------------------------|

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- |                                |   |  |
|--------------------------------|---|--|
| Suitable extinguishing media   | : | Water<br>Foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry powder             |
| Unsuitable extinguishing media | : | For this substance/mixture no limitations of extinguishing agents are given. |

### 5.2 Special hazards arising from the substance or mixture

- |                                       |   |  |
|---------------------------------------|---|--|
| Specific hazards during fire-fighting | : | Combustible.<br><br>Vapours are heavier than air and may spread along floors.<br>Forms explosive mixtures with air at elevated temperatures.<br>Development of hazardous combustion gases or vapours possible in the event of fire.<br><br>Fire may cause evolution of:<br>Hydrogen fluoride |
|---------------------------------------|---|--|

### 5.3 Advice for firefighters

- |   |   |   |
|---|---|---|
| Special protective equipment for firefighters | : | Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by |
|---|---|---|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## AZ 15nXT (450CPS) Photoresist

Version: 1.3

Product number: 212815

Revision Date: 15.09.2022

Print Date: 16.09.2022

---

wearing suitable protective clothing.

Further information : Cool closed containers exposed to fire with water spray.  
Prevent fire extinguishing water from contaminating surface water or the ground water system.

Suppress (knock down) gases/vapours/mists with a water spray jet.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Advice for non-emergency personnel:  
Do not breathe vapours, aerosols.  
Avoid substance contact.  
Ensure adequate ventilation.  
Keep away from heat and sources of ignition.  
Evacuate the danger area, observe emergency procedures, consult an expert.  
Advice for emergency responders:  
Protective equipment see section 8.  
Indications about waste treatment see section 13.

### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.  
Risk of explosion.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Cover drains. Collect, bind, and pump off spills.  
Observe possible material restrictions (see sections 7 and 10).  
Take up with liquid-absorbent material (e.g. Chemisorb® ).  
Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Provide sufficient air exchange and/or exhaust in work rooms.  
Do not inhale substance/mixture.  
Avoid generation of vapours/aerosols.

Observe label precautions.

Advice on protection against fire and explosion : Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures : Change contaminated clothing. Wash hands after working

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## AZ 15nXT (450CPS) Photoresist

Version: 1.3

Product number: 212815

Revision Date: 15.09.2022

Print Date: 16.09.2022

with substance.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container.

Further information on storage conditions : Protected from light.

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Risks from decomposition products: see section 10.3

Recommended storage temperature : If there is a suitable storage temperature range to be complied with, product label contains the relevant information accordingly.

### 7.3 Specific end use(s)

Specific use(s) : Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2-methoxy-1-methylethyl acetate	Workers	dermal	Long-term systemic effects	153,5 mg/kg
	Workers	inhalation	Long-term systemic effects	275 mg/m3
	Consumers	oral	Long-term systemic effects	1,67 mg/kg
	Consumers	dermal	Long-term systemic effects	54,8 mg/kg
	Consumers	inhalation	Long-term systemic effects	33 mg/m3

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2-methoxy-1-methylethyl acetate	Fresh water	0,635 mg/l
	Marine water	0,0635 mg/l
	Fresh water sediment	3,29 mg/kg
	Marine sediment	0,329 mg/kg
	Sewage treatment plant	100 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## AZ 15nXT (450CPS) Photoresist

Version: 1.3

Product number: 212815

Revision Date: 15.09.2022

Print Date: 16.09.2022

	Soil	0,29 mg/kg
--	------	------------

### 8.2 Exposure controls

#### Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

#### Personal protective equipment

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled and must meet the specifications of a standard EN/ISO/DIN. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye protection : Safety glasses

Hand protection :  
splash contact

Glove material : Nitrile rubber

Glove thickness : 0,4 mm

Break through time : 10 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example: KCL 730 Camatril® -Velours(splash contact)  
This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Respiratory protection : required when vapours/aerosols are generated.

Filter type : ABEK-filter

Protective measures : Flame retardant antistatic protective clothing.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : clear, yellow

Odour : strong, characteristic

Freezing point : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## AZ 15nXT (450CPS) Photoresist

Version: 1.3

Product number: 212815

Revision Date: 15.09.2022

Print Date: 16.09.2022

---

Boiling point	: 134 °C
Flammability	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: 43 °C Method: closed cup
Auto-ignition temperature	: not determined
Decomposition temperature	: No data available
pH	: substance/mixture is non-polar/aprotic
Viscosity	
Viscosity, dynamic	: not determined
Viscosity, kinematic	: No data available
Solubility(ies)	
Water solubility	: partly soluble - phase separation
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Vapour pressure	: 5,22 hPa (25 °C) (solvent)
Density	: 1,073 g/cm <sup>3</sup> (25 °C)
Relative vapour density	: No data available

### 9.2 Other information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Vapour/air-mixtures are explosive at intense warming.  
Formation of peroxides possible.

### 10.2 Chemical stability

Sensitivity to light  
Sensitive to air.

### 10.3 Possibility of hazardous reactions

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## AZ 15nXT (450CPS) Photoresist

Version: 1.3

Product number: 212815

Revision Date: 15.09.2022

Print Date: 16.09.2022

---

Hazardous reactions	:	Risk of ignition or formation of inflammable gases or vapours with: Oxidizing agents Violent reactions possible with: alkalines Peroxides Strong oxidizing agents
---------------------	---	--

### 10.4 Conditions to avoid

Conditions to avoid	:	Exposure to light.  Heating.
---------------------	---	------------------------------------

### 10.5 Incompatible materials

Materials to avoid	:	Aluminium Light metals resins oils
--------------------	---	---

### 10.6 Hazardous decomposition products

Peroxides  
in the event of fire: See section 5.

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute oral toxicity	:	No data available
Acute inhalation toxicity	:	No data available
Acute dermal toxicity	:	No data available
Acute toxicity (other routes of administration)	:	No data available

##### Components:

#### 2-methoxy-1-methylethyl acetate:

Acute oral toxicity	:	LD50 (Rat, male and female): 6.190 mg/kg Method: OECD Test Guideline 401 GLP: yes Remarks: (ECHA)
Acute inhalation toxicity	:	LC0 (Rat): > 8,1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Converted acute toxicity point estimate



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## AZ 15nXT (450CPS) Photoresist

Version: 1.3

Product number: 212815

Revision Date: 15.09.2022

Print Date: 16.09.2022

---

	Assessment: The substance or mixture has no acute inhalation toxicity Remarks: (ECHA)
Acute dermal toxicity	: LD50 (Rat, male and female): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Remarks: (ECHA)
	Assessment: The substance or mixture has no acute dermal toxicity

### Hexakis(methoxymethyl)melamine:

Acute oral toxicity	: Assessment: Toxic effects cannot be excluded
Acute inhalation toxicity	: Assessment: Toxic effects cannot be excluded
Acute dermal toxicity	: Assessment: Toxic effects cannot be excluded

### 1,8-Naphthalimidyl triflate:

Acute oral toxicity	: Assessment: Toxic effects cannot be excluded
Acute inhalation toxicity	: Assessment: Toxic effects cannot be excluded
Acute dermal toxicity	: Assessment: Toxic effects cannot be excluded

### Skin corrosion/irritation

#### Product:

No data available

#### Components:

#### 2-methoxy-1-methylethyl acetate:

Species	: Rabbit
Exposure time	: 24 h
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: (ECHA)

#### 1,8-Naphthalimidyl triflate:

Result	: Mild skin irritation
Remarks	: Supplier MSDS

### Serious eye damage/eye irritation

#### Product:

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## AZ 15nXT (450CPS) Photoresist

Version: 1.3

Product number: 212815

Revision Date: 15.09.2022

Print Date: 16.09.2022

---

### Components:

#### **2-methoxy-1-methylethyl acetate:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes  
Remarks : (ECHA)

#### **Hexakis(methoxymethyl)melamine:**

Species : Rabbit  
Result : irritating  
Remarks : (Lit.)

#### **1,8-Naphthalimidyl triflate:**

Assessment : Irritating to eyes.  
Result : Moderate eye irritation  
Remarks : The toxicological data has been taken from products of similar composition.

### **Respiratory or skin sensitisation**

#### **Product:**

No data available

#### **Components:**

#### **2-methoxy-1-methylethyl acetate:**

Test Type : Maximisation Test  
Exposure routes : dermal  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes  
Remarks : (ECHA)

### **Germ cell mutagenicity**

#### **Product:**

Genotoxicity in vitro : No data available  
Genotoxicity in vivo : No data available

#### **Components:**

#### **2-methoxy-1-methylethyl acetate:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## AZ 15nXT (450CPS) Photoresist

Version: 1.3

Product number: 212815

Revision Date: 15.09.2022

Print Date: 16.09.2022

---

Result: negative  
GLP: yes  
Remarks: (ECHA)

### Carcinogenicity

#### Product:

No data available

### Reproductive toxicity

#### Product:

Effects on fertility : No data available

Effects on foetal development : No data available

### Components:

#### **2-methoxy-1-methylethyl acetate:**

Effects on foetal development : Species: Rat, female  
Application Route: Inhalation  
General Toxicity Maternal: NOAEL: 2,7 mg/l  
Teratogenicity: NOAEL: > 22,5 mg/l  
Method: OECD Test Guideline 414  
GLP: yes  
Remarks: (ECHA)

### STOT - single exposure

#### Product:

No data available

### Components:

#### **2-methoxy-1-methylethyl acetate:**

Assessment : May cause drowsiness or dizziness.  
Remarks : (ECHA)

### STOT - repeated exposure

#### Product:

No data available

### Repeated dose toxicity

#### Product:

No data available

### Components:

#### **2-methoxy-1-methylethyl acetate:**

Species : Rat, male and female

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## AZ 15nXT (450CPS) Photoresist

Version: 1.3

Product number: 212815

Revision Date: 15.09.2022

Print Date: 16.09.2022

---

NOAEL	:	>= 1.000 mg/kg
Application Route	:	Oral
Exposure time	:	44 d
Number of exposures	:	daily
Method	:	OECD Test Guideline 422
Remarks	:	(ECHA) Subacute toxicity

### Aspiration toxicity

#### Product:

No data available

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

### Further information

#### Product:

Remarks	:	Property that must be anticipated on the basis from the components of the mixture: Risk of aspiration upon vomiting. Pulmonary failure possible after aspiration of vomit.
Remarks	:	Nausea Vomiting Headache Unconsciousness narcosis Cyanosis
Remarks	:	Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## AZ 15nXT (450CPS) Photoresist

Version: 1.3

Product number: 212815

Revision Date: 15.09.2022

Print Date: 16.09.2022

---

### Components:

#### **2-methoxy-1-methylethyl acetate:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 134 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
Remarks: (ECHA)
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 408 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: (ECHA)
- Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
Remarks: (ECHA)
- ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
Remarks: (ECHA)
- Toxicity to microorganisms : EC10 (activated sludge): > 1.000 mg/l  
Exposure time: 30 min  
Test Type: static test  
Method: OECD Test Guideline 209  
Remarks: (ECHA)
- EC20 (activated sludge): > 1.000 mg/l  
Exposure time: 30 min  
Test Type: static test  
Method: OECD Test Guideline 209  
Remarks: (ECHA)
- Toxicity to fish (Chronic toxicity) : NOEC: 47,5 mg/l  
Exposure time: 14 d  
Species: Oryzias latipes (Orange-red killifish)  
Test Type: flow-through test  
Analytical monitoring: yes  
Method: OECD Test Guideline 204  
GLP: yes  
Remarks: (ECHA)

Toxicity to daphnia and other : NOEC: >= 100 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## AZ 15nXT (450CPS) Photoresist

Version: 1.3

Product number: 212815

Revision Date: 15.09.2022

Print Date: 16.09.2022

aquatic invertebrates (Chronic toxicity)

Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 211  
GLP: yes  
Remarks: (ECHA)

### 1,8-Naphthalimidyl triflate:

#### Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

## 12.2 Persistence and degradability

#### Product:

No data available

#### Components:

##### 2-methoxy-1-methylethyl acetate:

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Concentration: 76,4 mg/l  
Result: Readily biodegradable.  
Biodegradation: 83 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
GLP: yes  
Remarks: (ECHA)

Biochemical Oxygen Demand (BOD) : 330 mg/g  
Incubation time: 5 d  
Remarks: (IUCLID)

Chemical Oxygen Demand (COD) : 1.740 mg/g  
Remarks: (IUCLID)

ThOD : 1.820 mg/g  
Remarks: (IUCLID)

## 12.3 Bioaccumulative potential

#### Product:

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## AZ 15nXT (450CPS) Photoresist

Version: 1.3

Product number: 212815

Revision Date: 15.09.2022

Print Date: 16.09.2022

---

### Components:

#### **2-methoxy-1-methylethyl acetate:**

Partition coefficient: n-octanol/water : log Pow: 1,2 (20 °C)  
Method: OECD Test Guideline 117  
Remarks: Bioaccumulation is not expected.  
(ECHA)

#### **Hexakis(methoxymethyl)melamine:**

Partition coefficient: n-octanol/water : log Pow: 1,61  
Method: (calculated)  
Remarks: EPI Suite™  
Bioaccumulation is not expected.

#### **1,8-Naphthalimidyl triflate:**

Partition coefficient: n-octanol/water : log Pow: 4,5 (25 °C)  
Method: EPI Suite™  
Remarks: Potential bioaccumulation  
(Lit.)

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Components:

#### **2-methoxy-1-methylethyl acetate:**

Assessment : Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## AZ 15nXT (450CPS) Photoresist

Version: 1.3

Product number: 212815

Revision Date: 15.09.2022

Print Date: 16.09.2022

---

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### **Product:**

Additional ecological information : Discharge into the environment must be avoided.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Waste should not be disposed of by release to sewers.

---

## SECTION 14: Transport information

#### **Air transport (IATA)**

14.1. UN/ID No. : UN 1993  
14.2. Proper shipping name : Flammable liquid, n.o.s.  
(2-methoxy-1-methylethyl acetate)  
14.3. Class : 3  
14.4. Packing group : III  
14.5 Environmentally hazardous : --  
14.6 Special precautions for user : no

#### **Sea transport (IMDG)**

14.1. UN number : UN 1993  
14.2. Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(2-methoxy-1-methylethyl acetate)  
14.3. Class : 3  
14.4. Packing group : III  
14.5 Environmentally hazardous : --  
14.6 Special precautions for user : yes  
EmS Code : F-E, S-E  
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code  
Not relevant

#### **Land transport (ADR/RID)**

14.1. UN number : UN 1993  
14.2. Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(2-methoxy-1-methylethyl acetate)



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## AZ 15nXT (450CPS) Photoresist

Version: 1.3

Product number: 212815

Revision Date: 15.09.2022

Print Date: 16.09.2022

---

14.3. Class	:	3
14.4. Packing group	:	III
14.5 Environmentally hazardous	:	--
14.6 Special precautions for user	:	yes
Tunnel restriction code	:	(D/E)

### Inland waterway transport (ADN)

ADN Classification : Not Assigned

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3  formaldehyde (Number on list 72, 28)
--	---	---

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
---	---	----------------

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
---	---	----------------

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
---	---	----------------

REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
---	---	----------------

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	P5c	FLAMMABLE LIQUIDS
---	-----	-------------------

Storage class (TRGS 510)	:	3, Flammable liquids
--------------------------	---	----------------------

### Other regulations:

Take note of Dir 94/33/EC on the protection of young people at work.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## AZ 15nXT (450CPS) Photoresist

Version: 1.3

Product number: 212815

Revision Date: 15.09.2022

Print Date: 16.09.2022

---

### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

---

### SECTION 16: Other information

#### Full text of H-Statements

H226 : Flammable liquid and vapour.  
H319 : Causes serious eye irritation.  
H336 : May cause drowsiness or dizziness.

#### Full text of other abbreviations

Eye Irrit. : Eye irritation  
Flam. Liq. : Flammable liquids  
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## AZ 15nXT (450CPS) Photoresist

Version: 1.3

Product number: 212815

Revision Date: 15.09.2022

Print Date: 16.09.2022

---

Decimal notation: "Thousands" places are identified with a dot (example: 2.000 mg/kg means "two thousand mg/kg"). Decimal places are identified with a comma (example: 1,35 g/cm<sup>3</sup>).

### Revision Note

Safety datasheet sections : General revision  
which have been updated

### Classification of the mixture:

Flam. Liq. 3 H226

STOT SE 3 H336

### Classification procedure:

Calculation method

### Disclaimer

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product. This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

REG\_EU / EN