#### **Document**

according to Regulation (EC) No. 1907/2006



Revision Date: 28.11.2022

Version: 4.1 Print Date: 29.11.2022 Product number: 697333

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

697333 Product number

AZ 726 MIF Developer Product name

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Materials for use in technical applications

stance/Mixture

#### 1.3 Details of the supplier of the safety data sheet

Merck KGaA \* 64271 Darmstadt \* Germany \* Phone:+49 6151 72-0 Company

Responsible Department \* e-mail: ELECTRONICS\_SDS@merckgroup.com

#### 1.4 Emergency telephone number

+49 6151 722440

CHEMTREC International Emergency Telephone Number +1 703-741-

5970 [CCN 842835]

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1 H290: May be corrosive to metals.

Acute toxicity, Category 4 H302: Harmful if swallowed.

Acute toxicity, Category 3 H311: Toxic in contact with skin.

Skin corrosion, Sub-category 1C H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Specific target organ toxicity - single ex-

posure, Category 2, Central nervous

system

H371: May cause damage to organs.

Specific target organ toxicity - repeated

exposure, Category 2, Liver, thymus

gland

H373: May cause damage to organs through pro-

longed or repeated exposure.

## 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

#### **AZ 726 MIF Developer**

Version: 4.1 Product number: 697333 Revision Date: 28.11.2022 Print Date: 29.11.2022

Hazard pictograms







Signal word : Danger

Hazard statements : H290 May be corrosive to metals.

H302 Harmful if swallowed.H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H371 May cause damage to organs (Central nervous sys-

tem).

H373 May cause damage to organs (Liver, thymus gland)

through prolonged or repeated exposure.

Precautionary statements : Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.P280 Wear protective gloves/ protective clothing/ eye protective

tion/ face protection/ hearing protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do

NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immedi-

ately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if pre-

sent and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor.

#### Hazardous components which must be listed on the label:

Tetramethylammonium hydroxide

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006

#### **AZ 726 MIF Developer**

Version: 4.1 Product number: 697333 Revision Date: 28.11.2022 Print Date: 29.11.2022

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Aqueous solution of organic compounds.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Tetramethylammonium hydroxide	75-59-2 200-882-9 01-2119970562-34- xxxx	Met. Corr. 1; H290 Acute Tox. 2; H300 Acute Tox. 1; H310 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 1; H370 (Central nervous system) STOT RE 1; H372 (Liver, thymus gland) Aquatic Chronic 2; H411	>= 1 - < 2,5

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice : First aider needs to protect himself.

If inhaled : fresh air. Immediately call in physician.

If breathing stops: immediately apply artificial respiration, if

necessary also oxygen.

In case of skin contact : Take off immediately all contaminated clothing. Rinse skin

with water/ shower.

Call a physician immediately.

If a systemic effect is suspected, monitoring and treatment in

an intensive care unit is urgently required.

In case of eye contact : rinse out with plenty of water.

Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed : make victim drink water (two glasses at most), avoid vomiting

(risk of perforation).

Call a physician immediately. Do not attempt to neutralise.

according to Regulation (EC) No. 1907/2006

#### AZ 726 MIF Developer

Version: 4.1 Product number: 697333 Revision Date: 28.11.2022 Print Date: 29.11.2022

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Irritation and corrosion

Cough

Shortness of breath

Risk of blindness!

Headache
Nausea
Vomiting
Salivation
Tremors
Abdominal pain
muscle twitching
Convulsions
Diarrhoea

respiratory arrest Unconsciousness

death

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

#### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

For this substance/mixture no limitations of extinguishing

agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Not combustible.

Ambient fire may liberate hazardous vapours.

## 5.3 Advice for firefighters

Special protective equipment :

for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by

wearing suitable protective clothing.

Further information : Prevent fire extinguishing water from contaminating surface

water or the ground water system.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

according to Regulation (EC) No. 1907/2006

#### **AZ 726 MIF Developer**

Version: 4.1 Product number: 697333 Revision Date: 28.11.2022 Print Date: 29.11.2022

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Advice for non-emergency personnel:

Do not breathe vapours, aerosols.

Avoid substance contact. Ensure adequate ventilation.

Evacuate the danger area, observe emergency procedures,

consult an expert.

Advice for emergency responders: Protective equipment see section 8.

#### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal considerations see section 13. For personal protection see section 8.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling : Provide sufficient air exchange and/or exhaust in work rooms.

Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Observe label precautions.

Hygiene measures : Immediately change contaminated clothing. Apply preventive

skin protection. Wash hands and face after working with sub-

stance.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No metal containers.

Store in original container.

Further information on stor-

age conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up

or in an area accessible only to qualified or authorised per-

sons.

Risks from decomposition products: see section 10.3

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

according to Regulation (EC) No. 1907/2006

#### **AZ 726 MIF Developer**

Version: 4.1 Product number: 697333 Revision Date: 28.11.2022 Print Date: 29.11.2022

Recommended storage tem: :

perature

If there is a suitable storage temperature range to be complied

with, product label contains the relevant information accord-

ingly.

## 7.3 Specific end use(s)

Specific use(s) : Apart from the uses mentioned in section 1.2 no other specific

uses are stipulated.

#### **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Tetramethylammoni- um hydroxide	Workers	inhalation	Long-term systemic effects	0,49 mg/m3
	Workers	dermal	Long-term systemic effects	0,14 mg/kg
	Workers	dermal	Long-term local ef- fects	0,00625 mg/cm2

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment Value	
Tetramethylammonium hydroxide	Water	0,0005 mg/l
	Marine water	0,00005 mg/l
	Fresh water sediment	0,03 mg/kg
	Marine sediment	0,003 mg/kg
	Soil	0,0057 mg/kg
	Sewage treatment plant	5 mg/l
	Intermittent use/release	0,03 mg/l

#### 8.2 Exposure controls

#### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

## Personal protective equipment

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled and must meet the specifications of a standard EN/ISO/DIN. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye protection : Tightly fitting safety goggles

according to Regulation (EC) No. 1907/2006

#### AZ 726 MIF Developer

Version: 4.1 Product number: 697333 Revision Date: 28.11.2022 Print Date: 29.11.2022

Hand protection

full contact

Glove material : Nitrile rubber

Glove thickness : 0,11 mm

Break through time : 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

splash contact

Glove material : Nitrile rubber

Glove thickness : 0,11 mm

Break through time : 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example:KCL 741 Dermatril® L(full contact); KCL 741 Dermatril® L(splash contact)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Respiratory protection : required when vapours/aerosols are generated.

Filter type : Filter A-(P2)

Protective measures : Full protective suit

Ensure that eye flushing systems and safety showers are

located close to the working place.

#### **Environmental exposure controls**

Water : Do not flush into surface water or sanitary sewer system.

according to Regulation (EC) No. 1907/2006

#### AZ 726 MIF Developer

Version: 4.1 Product number: 697333 Revision Date: 28.11.2022 Print Date: 29.11.2022

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : colourless

Odour : slight, characteristic

Melting point/freezing point : ca. 0 °C

Boiling point/boiling range : ca. 100 °C (1.013 hPa)

Flammability : No data available

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Flash point : does not flash

Auto-ignition temperature : Not applicable

Decomposition temperature : No data available

pH : ca. 13 (20 °C)

Concentration: 100 %

Viscosity

Viscosity, dynamic : ca. 1 mPas (20 °C)

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Vapour pressure : ca. 23 mbar (20 °C)

Density : ca. 1 g/cm3 (20 °C)

Relative vapour density : No data available

9.2 Other information

Explosives : Not classified as explosive.

according to Regulation (EC) No. 1907/2006

#### **AZ 726 MIF Developer**

Version: 4.1 Product number: 697333 Revision Date: 28.11.2022 Print Date: 29.11.2022

Oxidizing properties : none

Flammability (liquids) : not combustible

Self-ignition : Not applicable

Metal corrosion rate : Corrosive to metals

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

See section 10.3

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Risk of explosion with:

Potassium peroxide

Risk of ignition or formation of inflammable gases or vapours

with: Metals

Violent reactions possible with:

The generally known reaction partners of water.

10.4 Conditions to avoid

Conditions to avoid : no information available

10.5 Incompatible materials

Materials to avoid : Aluminium

Zinc Tin bronze

Metals

Gives off hydrogen by reaction with metals.

## 10.6 Hazardous decomposition products

in the event of fire: See section 5.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

**Product:** 

Acute oral toxicity : Acute Toxicity Estimate (ATE): 315,42 mg/kg

according to Regulation (EC) No. 1907/2006

#### **AZ 726 MIF Developer**

Revision Date: 28.11.2022 Version: 4.1 Product number: 697333 Print Date: 29.11.2022

Method: Calculation method

Symptoms: If indested, severe burns of the mouth and throat. as well as a danger of perforation of the oesophagus and the

stomach.

Acute inhalation toxicity Symptoms: mucosal irritations, Cough, Shortness of breath,

Possible damages:, damage of respiratory tract

Acute dermal toxicity Acute Toxicity Estimate (ATE): 546,72 mg/kg

Method: Calculation method

Symptoms: Causes severe burns.

Symptoms: Causes severe systemic effects after dermal ex-

posure which could lead to death.

Acute toxicity (other routes of : No data available

administration)

#### Components:

#### Tetramethylammonium hydroxide:

Acute oral toxicity LD50 (Rat, female): 7,5 mg/kg

Method: OECD Test Guideline 423

GLP: yes

Remarks: (ECHA)

Assessment: Toxic effects cannot be excluded Acute inhalation toxicity

Acute dermal toxicity LD50 (Rat, male and female): 13 mg/kg

Remarks: (ECHA)

Based on human experience.

Symptoms: Causes severe systemic effects after dermal ex-

posure which could lead to death.

#### Skin corrosion/irritation

#### **Product:**

Result Corrosive, category 1C - where responses occur after expo-

sures between 1 hour and 4 hours and observations up to 14

days.

#### **Components:**

## Tetramethylammonium hydroxide:

Result : Causes burns. Remarks : (ECHA)

according to Regulation (EC) No. 1907/2006

#### **AZ 726 MIF Developer**

Version: 4.1 Product number: 697333 Revision Date: 28.11.2022 Print Date: 29.11.2022

## Serious eye damage/eye irritation

**Product:** 

Remarks : Risk of blindness!

## **Components:**

#### Tetramethylammonium hydroxide:

Result : Irreversible effects on the eye

Remarks : (ECHA)

#### Respiratory or skin sensitisation

**Product:** 

No data available

#### Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : No data available

Genotoxicity in vivo : No data available

#### **Components:**

#### Tetramethylammonium hydroxide:

Genotoxicity in vitro : Test Type: Ames test

Method: Mutagenicity (Escherichia coli - reverse mutation

assay)

Result: negative Remarks: (ECHA)

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster lung cells Method: OECD Test Guideline 473

Result: negative Remarks: (ECHA)

#### Carcinogenicity

**Product:** 

No data available

Reproductive toxicity

**Product:** 

Effects on fertility : No data available

Effects on foetal develop-

ment

: No data available

according to Regulation (EC) No. 1907/2006

#### **AZ 726 MIF Developer**

Version: 4.1 Product number: 697333 Revision Date: 28.11.2022 Print Date: 29.11.2022

## STOT - single exposure

#### **Product:**

No data available

#### **Components:**

## Tetramethylammonium hydroxide:

Target Organs : Central nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 1.

Remarks : (ECHA)

#### STOT - repeated exposure

#### **Product:**

No data available

#### **Components:**

#### Tetramethylammonium hydroxide:

Target Organs : Liver, thymus gland

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

Remarks : (ECHA)

#### Repeated dose toxicity

#### **Product:**

No data available

#### **Components:**

## Tetramethylammonium hydroxide:

Species : Rat, female
NOAEL : 2,5 mg/kg
Application Route : Dermal
Exposure time : 28 d
Number of exposures : daily

Remarks : Local effects (ECHA)

Species : Rat, male and female

NOAEL : 10 mg/kg
Application Route : Dermal
Exposure time : 28 d
Number of exposures : daily

Remarks : Systemic effects

(ECHA)

Species : Rat, male NOAEL : 5 mg/kg
Application Route : Oral Exposure time : 28 d

according to Regulation (EC) No. 1907/2006

#### **AZ 726 MIF Developer**

Version: 4.1 Product number: 697333 Revision Date: 28.11.2022 Print Date: 29.11.2022

Method : OECD Test Guideline 407

Remarks : (ECHA)

## **Aspiration toxicity**

#### **Product:**

No data available

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### **Further information**

**Product:** 

Remarks : The following information relates to the toxicologically deter-

minant component of the mixture:

Remarks : Headache

Nausea Vomiting Salivation Tremors Abdominal pain muscle twitching Convulsions Diarrhoea

respiratory arrest Unconsciousness

death

Remarks : Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety

practice.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

#### **Product:**

No data available

according to Regulation (EC) No. 1907/2006

#### AZ 726 MIF Developer

Version: 4.1 Product number: 697333 Revision Date: 28.11.2022 Print Date: 29.11.2022

#### **Components:**

#### Tetramethylammonium hydroxide:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: (ECHA)

(in analogy to similar compounds)

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: (ECHA)

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 96,3

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: (ECHA)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,025 mg/l Exposure time: 48 h

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202

Remarks: (ECHA)

## 12.2 Persistence and degradability

#### **Product:**

No data available

#### **Components:**

#### Tetramethylammonium hydroxide:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 100 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Remarks: (ECHA)

#### 12.3 Bioaccumulative potential

## **Product:**

No data available

## **Components:**

## Tetramethylammonium hydroxide:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

according to Regulation (EC) No. 1907/2006

#### **AZ 726 MIF Developer**

Revision Date: 28.11.2022 Version: 4.1 Product number: 697333 Print Date: 29.11.2022

Partition coefficient: n-

log Pow: -1,4 (20 °C)

Method: OECD Test Guideline 107 octanol/water

GLP: yes

Remarks: Bioaccumulation is not expected.

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

: This substance/mixture contains no components considered Assessment

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

## **Components:**

## Tetramethylammonium hydroxide:

Assessment Substance does not meet the criteria for PBT or vPvB accord-

ing to Regulation (EC) No 1907/2006, Annex XIII.

#### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

## 12.7 Other adverse effects

## **Product:**

Additional ecological infor: :

Discharge into the environment must be avoided.

mation

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Waste should not be disposed of by release to sewers.

#### **SECTION 14: Transport information**

according to Regulation (EC) No. 1907/2006

#### AZ 726 MIF Developer

Version: 4.1 Product number: 697333 Revision Date: 28.11.2022 Print Date: 29.11.2022

#### Air transport (IATA)

**14.1. UN/ID No.** : UN 1835

**14.2. Proper shipping name** : Tetramethylammonium hydroxide, solution

14.3. Class : 8 14.4. Packing group : III 14.5 Environmentally hazardous : --

14.6 Special precautions

for user

: no

#### Sea transport (IMDG)

**14.1. UN number** : UN 1835

14.2. Proper shipping name : TETRAMETHYLAMMONIUM HYDROXIDE SOLUTION

14.3. Class : 8 14.4. Packing group : III 14.5 Environmentally haz- : --

ardous

14.6 Special precautions : yes

for user

EmS Code : F-A, S-B

Segregation group : 2: Ammonium compounds

18: Alkalis

## 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

#### Land transport (ADR/RID)

**14.1. UN number** : UN 1835

14.2. Proper shipping name : TETRAMETHYLAMMONIUM HYDROXIDE SOLUTION

14.3. Class: 814.4. Packing group: III14.5 Environmentally haz-: --

ardous

14.6 Special precautions : yes

for user

Tunnel restriction code : (E)

#### **Inland waterway transport**

(ADN)

ADN Classification: Not Assigned

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

according to Regulation (EC) No. 1907/2006

#### AZ 726 MIF Developer

Version: 4.1 Product number: 697333 Revision Date: 28.11.2022 Print Date: 29.11.2022

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 3

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

Not applicable

Storage class (TRGS 510) : 6.1D, Non-combustible, acute toxic Cat.3 / toxic hazardous

materials or hazardous materials causing chronic effects

## Other regulations:

Take note of Dir 94/33/EC on the protection of young people at work.

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

#### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

#### **SECTION 16: Other information**

## **Full text of H-Statements**

H290 : May be corrosive to metals.

H300 : Fatal if swallowed. H310 : Fatal in contact with skin.

H314 : Causes severe skin burns and eye damage.

H318 : Causes serious eye damage. H370 : Causes damage to organs.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H411 : Toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

according to Regulation (EC) No. 1907/2006

#### AZ 726 MIF Developer

Version: 4.1 Product number: 697333 Revision Date: 28.11.2022 Print Date: 29.11.2022

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Met. Corr. : Corrosive to metals Skin Corr. : Skin corrosion

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Decimal notation: "Thousands" places are identified with a dot (example: 2.000 mg/kg means "two thousand mg/kg"). Decimal places are identified with a comma (example: 1,35 g/cm3).

according to Regulation (EC) No. 1907/2006

#### **AZ 726 MIF Developer**

Version: 4.1 Product number: 697333 Revision Date: 28.11.2022 Print Date: 29.11.2022

**Revision Note** 

Safety datasheet sections

: General revision

which have been updated

#### Classification of the mixture: Classification procedure:

Met. Corr. 1	H290	Based on product data or assessment
Acute Tox. 4	H302	Calculation method
Acute Tox. 3	H311	Calculation method
Skin Corr. 1C	H314	Based on product data or assessment
Eye Dam. 1	H318	Based on product data or assessment
STOT SE 2	H371	Calculation method
STOT RE 2	H373	Calculation method

#### **Disclaimer**

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product. This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

REG\_EU / EN