Document

according to Regulation (EC) No. 1907/2006



Revision Date: 09.12.2022

Version: 3.0 Product number: 583503 Print Date: 10.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product number 583503

Product name AZ NLOF 2020 PHOTORESIST

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Materials for use in technical applications

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0

Responsible Department * e-mail: ELECTRONICS_SDS@merckgroup.com

1.4 Emergency telephone number

+49 6151 722440

CHEMTREC International Emergency Telephone Number +1 703-741-

5970 [CCN 842835]

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

Specific target organ toxicity - single exposure, Category 3, Central nervous

system

H336: May cause drowsiness or dizziness.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

Precautionary statements : Prevention:

P210 Keep away from heat.

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Revision Date: 09.12.2022 Version: 3.0 Product number: 583503 Print Date: 10.12.2022

Hazardous components which must be listed on the label:

2-methoxy-1-methylethyl acetate

Additional Labelling

EUH208 Contains formaldehyde. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Mixture of organic compounds

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2-methoxy-1-methylethyl acetate	108-65-6 203-603-9 607-195-00-7 01-2119475791-29- xxxx	Flam. Liq. 3; H226 STOT SE 3; H336 (Central nervous system)	>= 50 - <= 100
Hex- akis(methoxymethyl)melamine	3089-11-0 221-422-3	Eye Irrit. 2; H319	>= 1 - < 10
formaldehyde	50-00-0 200-001-8 605-001-00-5 01-2119488953-20- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Muta. 2; H341 Carc. 1B; H350 ————————————————————————————————————	< 0,1

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Version: 3.0 Product number: 583503 Revision Date: 09.12.2022 Print Date: 10.12.2022

	5 - < 25 % Eye Irrit. 2; H319 5 - < 25 % STOT SE 3; H335 >= 5 % Skin Sens. 1; H317 >= 0,2 %	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : fresh air. Call in physician.

In case of skin contact : rinse out with polyethylene glycol 400 or a mixture of polyeth-

ylene glycol 300/ethanol 2:1 and wash with plenty of water. If neither is available wash with plenty of water. Immediately take off contaminated clothing. Seek medical advice immedi-

ately.

In case of eye contact : rinse out with plenty of water.

Remove contact lenses.

If swallowed : immediately make victim drink water (two glasses at most).

Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Allergic reactions

somnolence Drowsiness

Nausea Vomiting Headache

Unconsciousness

narcosis Cyanosis

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water

Foam

Carbon dioxide (CO2)

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Revision Date: 09.12.2022 Version: 3.0 Product number: 583503 Print Date: 10.12.2022

Dry powder

Unsuitable extinguishing

media

For this substance/mixture no limitations of extinguishing

agents are given.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Combustible.

Vapours are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours

possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Stay in danger area only with self-contained breathing appa-

ratus. Prevent skin contact by keeping a safe distance or by

wearing suitable protective clothing.

Further information : Cool closed containers exposed to fire with water spray.

Prevent fire extinguishing water from contaminating surface

water or the ground water system.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Advice for non-emergency personnel:

Do not breathe vapours, aerosols.

Avoid substance contact. Ensure adequate ventilation.

Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures,

consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Indications about waste treatment see section 13.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Risk of explosion.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®).

Dispose of properly. Clean up affected area.

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Version: 3.0 Product number: 583503 Revision Date: 09.12.2022 Print Date: 10.12.2022

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Provide sufficient air exchange and/or exhaust in work rooms.

Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Observe label precautions.

Advice on protection against

fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static dis-

charge.

Hygiene measures : Change contaminated clothing. Preventive skin protection

recommended. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Store in original container.

Further information on stor-

age conditions

Protect against light.

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Risks from decomposition products: see section 10.3

Recommended storage tem-

perature

If there is a suitable storage temperature range to be complied

with, product label contains the relevant information accord-

ingly.

7.3 Specific end use(s)

Specific use(s) : Apart from the uses mentioned in section 1.2 no other specific

uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Version: 3.0 Product number: 583503 Revision Date: 09.12.2022 Print Date: 10.12.2022

2-methoxy-1- methylethyl acetate	Workers	dermal	Long-term systemic effects	153,5 mg/kg
	Workers	inhalation	Long-term systemic effects	275 mg/m3
	Consumers	oral	Long-term systemic effects	1,67 mg/kg
	Consumers	dermal	Long-term systemic effects	54,8 mg/kg
	Consumers	inhalation	Long-term systemic effects	33 mg/m3
formaldehyde	Workers	inhalation	Long-term systemic effects	9 mg/m3
	Workers	inhalation	Long-term local ef- fects	0,5 mg/m3
	Workers	inhalation	Acute local effects	1 mg/m3
	Workers	dermal	Long-term systemic effects	240 mg/kg
	Workers	dermal	Long-term local effects	0,037 mg/cm2
	Consumers	inhalation	Long-term systemic effects	3,2 mg/m3
	Consumers	inhalation	Long-term local ef- fects	0,1 mg/m3
	Consumers	dermal	Long-term systemic effects	120 mg/kg
	Consumers	dermal	Long-term local ef- fects	0,012 mg/cm2
	Consumers	oral	Long-term systemic effects	4,1 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2-methoxy-1-methylethyl acetate	Fresh water	0,635 mg/l
	Marine water	0,0635 mg/l
	Fresh water sediment	3,29 mg/kg
	Marine sediment	0,329 mg/kg
	Sewage treatment plant	100 mg/l
	Soil	0,29 mg/kg

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Personal protective equipment

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled and must meet the specifications of a standard EN/ISO/DIN. The chemical resistance of the protective equipment should be enquired at the respective supplier.

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Version: 3.0 Product number: 583503 Revision Date: 09.12.2022 Print Date: 10.12.2022

Eye protection : Safety glasses

Hand protection :

full contact

Glove material : butyl-rubber

Glove thickness : 0,7 mm

Break through time : 480 min

splash contact

Glove material : Nitrile rubber

Glove thickness : 0,4 mm

Break through time : 60 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example:KCL 898 Butoject®(full contact); KCL 730 Camatril® -Velours(splash contact)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Filter type : ABEK-filter

Respiratory protection : required when vapours/aerosols are generated.

Protective measures : Flame retardant antistatic protective clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : solution

Colour : red

Odour : characteristic, pungent

Freezing point : No data available

Boiling point : 145 °C

Flammability : Remarks: Combustible.

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Revision Date: 09.12.2022 Version: 3.0 Product number: 583503 Print Date: 10.12.2022

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : 48 °C

Method: closed cup

Auto-ignition temperature

Information on components: 2-methoxy-1-methylethyl acetate

333 °C (1.013 hPa)

Decomposition temperature : No data available

pH : substance/mixture is non-polar/aprotic

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : partly soluble - phase separation

Solubility in other solvents : No data available

Partition coefficient: n-

No data available

octanol/water

Vapour pressure

Information on components: 2-methoxy-1-methylethyl acetate

3,55 hPa (20 °C)

Method: OECD Test Guideline 104

5,17 hPa (25 °C)

Method: OECD Test Guideline 104

Density : 1,041 g/cm3

Relative vapour density : No data available

9.2 Other information

Explosives : Not classified as explosive.

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapour/air-mixtures are explosive at intense warming. Formation of peroxides possible.

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Revision Date: 09.12.2022 Version: 3.0 Product number: 583503 Print Date: 10.12.2022

10.2 Chemical stability

Sensitivity to light Sensitive to air.

10.3 Possibility of hazardous reactions

Hazardous reactions Risk of ignition or formation of inflammable gases or vapours

with:

Oxidizing agents

Violent reactions possible with:

alkalines Peroxides

Strong oxidizing agents

10.4 Conditions to avoid

Conditions to avoid : Heating.

10.5 Incompatible materials

Materials to avoid Aluminium

> Light metals resins oils

10.6 Hazardous decomposition products

Peroxides

in the event of fire: See section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : No data available

Acute inhalation toxicity : No data available

: No data available Acute dermal toxicity

Acute toxicity (other routes of : No data available

administration)

Components:

2-methoxy-1-methylethyl acetate:

Acute oral toxicity LD50 (Rat, male and female): 6.190 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Remarks: (ECHA)

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Version: 3.0 Product number: 583503 Revision Date: 09.12.2022 Print Date: 10.12.2022

Acute inhalation toxicity : LC0 (Rat): > 8,1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: Converted acute toxicity point estimate

Assessment: The substance or mixture has no acute inhala-

tion toxicity Remarks: (ECHA)

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Remarks: (ECHA)

Assessment: The substance or mixture has no acute dermal

toxicity

Hexakis(methoxymethyl)melamine:

Acute oral toxicity : Assessment: Toxic effects cannot be excluded

Acute inhalation toxicity : Assessment: Toxic effects cannot be excluded

Acute dermal toxicity : Assessment: Toxic effects cannot be excluded

formaldehyde:

Acute oral toxicity : LD50 (Rat): 100 mg/kg

Remarks: (Lit.)

Acute inhalation toxicity : LC50 (Rat, male and female): 463 ppm

Exposure time: 4 h
Test atmosphere: gas

Method: OECD Test Guideline 403

GLP: yes

Acute dermal toxicity : LD50 (Rabbit): 270 mg/kg

Remarks: (OECD SIDS)

Skin corrosion/irritation

Product:

No data available

Components:

2-methoxy-1-methylethyl acetate:

Species : Rabbit Exposure time : 24 h

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : (ECHA)

formaldehyde:

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Revision Date: 09.12.2022

Version: 3.0 Product number: 583503 Print Date: 10.12.2022

Species : Rabbit

Method : OECD Test Guideline 404

Result : Causes burns. Remarks : (ECHA)

Serious eye damage/eye irritation

Product:

No data available

Components:

2-methoxy-1-methylethyl acetate:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes Remarks : (ECHA)

Hexakis(methoxymethyl)melamine:

Species : Rabbit
Result : irritating
Remarks : (Lit.)

formaldehyde:

Species : Rabbit

Assessment : Risk of blindness!

Result : Irreversible effects on the eye

Remarks : (ECHA)

Respiratory or skin sensitisation

Product:

No data available

Components:

2-methoxy-1-methylethyl acetate:

Test Type : Maximisation Test

Exposure routes : dermal Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

Remarks : (ECHA)

formaldehyde:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Method : OECD Test Guideline 429

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Revision Date: 09.12.2022 Version: 3.0 Product number: 583503 Print Date: 10.12.2022

Result May cause sensitisation by skin contact.

Remarks (ECHA)

Germ cell mutagenicity

Product:

Genotoxicity in vitro : No data available

: No data available Genotoxicity in vivo

Components:

2-methoxy-1-methylethyl acetate:

Genotoxicity in vitro Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: yes Remarks: (ECHA)

formaldehyde:

Germ cell mutagenicity- As-

sessment

: In vitro tests showed mutagenic effects

Carcinogenicity

Product:

No data available

Components:

formaldehyde:

Carcinogenicity - Assess-

ment

Sufficient evidence of carcinogenicity in animal experiments

Reproductive toxicity

Product:

Effects on fertility : No data available

Effects on foetal develop-

ment

: No data available

Components:

2-methoxy-1-methylethyl acetate:

Effects on foetal develop-

Species: Rat, female

ment

Application Route: Inhalation

General Toxicity Maternal: NOAEL: 2,7 mg/l

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Version: 3.0 Product number: 583503 Revision Date: 09.12.2022 Print Date: 10.12.2022

Teratogenicity: NOAEL: > 22,5 mg/l Method: OECD Test Guideline 414

GLP: yes

Remarks: (ECHA)

STOT - single exposure

Product:

No data available

Components:

2-methoxy-1-methylethyl acetate:

Assessment : May cause drowsiness or dizziness.

Remarks : (ECHA)

STOT - repeated exposure

Product:

No data available

Repeated dose toxicity

Product:

No data available

Components:

2-methoxy-1-methylethyl acetate:

Species : Rat, male and female NOAEL : >= 1.000 mg/kg

Application Route : Oral Exposure time : 44 d Number of exposures : daily

Method : OECD Test Guideline 422

Remarks : (ECHA)

Subacute toxicity

formaldehyde:

Species : Rat, male and female

NOAEL : 21 mg/kg LOAEL : 109 mg/kg

Application Route : Oral

Method : OECD Test Guideline 453

GLP : yes Remarks : (ECHA)

Aspiration toxicity

Product:

No data available

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Revision Date: 09.12.2022 Version: 3.0 Product number: 583503 Print Date: 10.12.2022

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : Nausea

Vomiting Headache

Unconsciousness

narcosis Cyanosis

Remarks : Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety

practice.

SECTION 12: Ecological information

12.1 Toxicity

Product:

No data available

Components:

2-methoxy-1-methylethyl acetate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 134 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Remarks: (ECHA)

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 408 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Remarks: (ECHA)

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): >

1.000 mg/l

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Version: 3.0 Product number: 583503 Revision Date: 09.12.2022 Print Date: 10.12.2022

Exposure time: 96 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201

Remarks: (ECHA)

ErC50 (Pseudokirchneriella subcapitata (green algae)): >

1.000 mg/l

Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes

Method: OECD Test Guideline 201

Remarks: (ECHA)

Toxicity to microorganisms : EC10 (activated sludge): > 1.000 mg/l

Exposure time: 30 min Test Type: static test

Method: OECD Test Guideline 209

Remarks: (ECHA)

EC20 (activated sludge): > 1.000 mg/l

Exposure time: 30 min Test Type: static test

Method: OECD Test Guideline 209

Remarks: (ECHA)

Toxicity to fish (Chronic tox-

icity)

NOEC: 47,5 mg/l

Exposure time: 14 d Species: Oryzias latipes (Orange-red killifish)

Test Type: flow-through test Analytical monitoring: yes

Method: OECD Test Guideline 204

GLP: yes

Remarks: (ECHA)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: >= 100 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test Analytical monitoring: yes

Method: OECD Test Guideline 211

GLP: yes

Remarks: (ECHA)

12.2 Persistence and degradability

Product:

No data available

Components:

2-methoxy-1-methylethyl acetate:

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Version: 3.0 Product number: 583503 Revision Date: 09.12.2022 Print Date: 10.12.2022

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Concentration: 76,4 mg/l Result: Readily biodegradable.

Biodegradation: 83 % Exposure time: 28 d

Method: OECD Test Guideline 301F

GLP: yes

Remarks: (ECHA)

Biochemical Oxygen De-

mand (BOD)

330 mg/g

Incubation time: 5 d Remarks: (IUCLID)

Chemical Oxygen Demand

(COD)

1.740 mg/g

Remarks: (IUCLID)

ThOD : 1.820 mg/g

Remarks: (IUCLID)

12.3 Bioaccumulative potential

Product:

No data available

Components:

2-methoxy-1-methylethyl acetate:

Partition coefficient: n- : log Pow: 1,2 (20 °C)

octanol/water Method: OECD Test Guideline 117

Remarks: Bioaccumulation is not expected.

(ECHA)

Hexakis(methoxymethyl)melamine:

Partition coefficient: n- : log Pow: 1,61

octanol/water Method: (calculated)

Remarks: EPI Suite™

Bioaccumulation is not expected.

formaldehyde:

Partition coefficient: n- : log Pow: 0,35 (25 °C)

octanol/water Remarks: Bioaccumulation is not expected.

12.4 Mobility in soil

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Version: 3.0 Product number: 583503 Revision Date: 09.12.2022 Print Date: 10.12.2022

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

2-methoxy-1-methylethyl acetate:

Assessment : Substance does not meet the criteria for PBT or vPvB accord-

ing to Regulation (EC) No 1907/2006, Annex XIII.

formaldehyde:

Assessment : Substance does not meet the criteria for PBT or vPvB accord-

ing to Regulation (EC) No 1907/2006, Annex XIII.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Waste should not be disposed of by release to sewers.

SECTION 14: Transport information

Air transport (IATA)

14.1. UN/ID No. : UN 1993

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Revision Date: 09.12.2022 Version: 3.0 Product number: 583503 Print Date: 10.12.2022

14.2. Proper shipping name : Flammable liquid, n.o.s.

(2-methoxy-1-methylethyl acetate)

14.3. Class : 3 14.4. Packing group : III 14.5 Environmentally haz- : --

ardous

14.6 Special precautions

for user

: no

Sea transport (IMDG)

14.1. UN number : UN 1993

14.2. Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(2-methoxy-1-methylethyl acetate)

14.3. Class: 314.4. Packing group: |||14.5 Environmentally haz-: --

ardous

14.6 Special precautions : yes

for user

EmS Code : F-E, <u>S-E</u>

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

Land transport (ADR/RID)

14.1. UN number : UN 1993

14.2. Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(2-methoxy-1-methylethyl acetate)

14.3. Class : 3 14.4. Packing group : ||| 14.5 Environmentally haz-

ardous

14.6 Special precautions : yes

for user

Tunnel restriction code : (D/E)

Inland waterway transport

(ADN)

ADN Classification: Not Assigned

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, lowing entries should be considered:

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Revision Date: 09.12.2022 Version: 3.0 Product number: 583503 Print Date: 10.12.2022

P5c

mixtures and articles (Annex XVII)

Number on list 3

formaldehyde (Number on list 72,

28)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

FLAMMABLE LIQUIDS

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

Storage class (TRGS 510) : 3, Flammable liquids

Other regulations:

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: Other information

Full text of H-Statements

H226 : Flammable liquid and vapour.

H301 : Toxic if swallowed.

H311 : Toxic in contact with skin.

H314 : Causes severe skin burns and eye damage.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

H330 : Fatal if inhaled.

H336 : May cause drowsiness or dizziness. H341 : Suspected of causing genetic defects.

H350 : May cause cancer.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Carc. : Carcinogenicity
Eye Dam. : Serious eye damage
Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Revision Date: 09.12.2022 Version: 3.0 Product number: 583503 Print Date: 10.12.2022

Muta. : Germ cell mutagenicity

Skin Corr. : Skin corrosion Skin Sens. : Skin sensitisation

STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Decimal notation: "Thousands" places are identified with a dot (example: 2.000 mg/kg means "two thousand mg/kg"). Decimal places are identified with a comma (example: 1,35 g/cm3).

Revision Note

Safety datasheet sections : SECTION 2 (Classification and labeling)

according to Regulation (EC) No. 1907/2006

AZ NLOF 2020 PHOTORESIST

Version: 3.0 Product number: 583503 Revision Date: 09.12.2022 Print Date: 10.12.2022

which have been updated General revision

Classification of the mixture: Classification procedure:

Flam. Liq. 3 H226 Based on product data or assessment

STOT SE 3 H336 Calculation method

Disclaimer

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product. This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

REG EU/EN