

# SAFETY DATA SHEET

ProChemOnline.com



# SECTION 1 PRODUCT AND COMPANY INFORMATION

PRODUCT NAME: Calcium tungstate

PRODUCT NO: 1393

CAS NO: 7790-75-2

SYNONYMS: Tungstic acid calcium salt, calcium wolframate, calcium tungsten oxide

**MANUFACTURER:** 

 Prochem, Inc.
 PHONE:
 815-398-1788

 826 Roosevelt Road
 FAX:
 815-398-1810

 Rockford, IL 61109
 TOLL FREE:
 800-795-8788

IN CASE OF TRANSPORTATION EMERGENCY CONTACT CHEM-TREC: 1-800-424-9300

## SECTION 2 HAZARDS IDENTIFICATION

#### **CLASSIFICATION OF SUBSTANCE OR MIXTURE**

Not a dangerous substance according to the GHS

HMIS CLASSIFICATION:

Health: 0 Flammability: 0 Reactivity: 0

**NFPA RATING:** 

Health: 0 Fire: 0 Reactivity Hazard: 0

**EYE CONTACT:** May cause slight to mild irritation of the eyes. **SKIN CONTACT:** May cause slight to mild irritation of the skin.

**INHALATION:** May be irritating to the nose, mucous membranes, and respiratory tract.

INGESTION: May be harmful if swallowed.

**CHRONIC HEALTH EFFECTS:** No information available on long-term chronic effects. **ACUTE HEALTH EFFECTS:** May be irritating to skin, eyes, and respiratory tract.

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Formula: CaWO<sub>4</sub>

Molecular Weight: 287.93

CHEMICAL NAME	CAS#	%	ACGIH (TWA)	OSHA (PEL)
Calcium tungstate	7790-75-2	100	5mg/m3 (as W)	No data

CALCIUM TUNGSTATE PAGE 1

## SECTION 4 FIRST AID MEASURES

**EYE EXPOSURE:** Immediately flush the eyes with copious amounts of water for at least 15 minutes. Assure flushing under eyelids. A victim may need assistance in keeping their eyelids open. Get immediate competent medical attention.

**SKIN EXPOSURE**: Wash affected area with water. Remove contaminated clothes if necessary. Seek medical assistance if irritation paraiete.

persists.

**INHALATION:** Remove the victim to fresh air. Closely monitor the victim for signs of respiratory problems, such as difficulty breathing, coughing, wheezing, or pain. In such cases seek immediate medical assistance.

**INGESTION:** Seek medical assistance immediately. Keep the victim calm. Give the victim water (only if conscious). Induce vomiting only if directed by medical personnel.

## SECTION 5 FIREFIGHTING MEASURES

FLASH POINT: Product is not flammable AUTO IGNITION TEMPERATURE: None

**EXPLOSION LIMITS: None** 

**EXTINGUISHING MEDIUM:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. **SPECIAL FIRE FIGHTING PROCEDURES**: If involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.

HAZARDOUS COMBUSTION AND DECOMPOSITION PRODUCTS: Calcium oxide and tungsten oxide

UNUSUAL FIRE OR EXPLOSION HAZARDS: No unusual fire or explosion hazards.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUATIONS: Avoid dust formation. Avoid breathing vapors, mist, or gas.

**ENVIRONMENTAL PRECAUTIONS:** Do not let product enter drains.

**METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:** Small spills can be mixed with powdered sodium carbonate or ground limestone and swept up.

## SECTION 7 HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Appropriate exhaust and ventilation.

CONDITIONS FOR SAFE STORAGE: Store material in a tightly sealed container away from moisture.

## SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

EYE PROTECTION: Always wear approved safety glasses with side shields, or safety goggles, face shield when

handling a chemicals substance in the laboratory. **SKIN PROTECTION**: Chemical resistant gloves.

**VENTILATION:** If possible, handle the material in an efficient fume hood.

RESPIRATOR: If in form of fine dust and ventilation is not available a respirator should be worn. The use of respirators requires a

Respirator Protection Program to be in compliance with 29 CFR 19-10.134.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

**COLOR AND FORM:** White powder

MELTING POINT: 1620° C
BOILING POINT: No data
MOLECULAR WEIGHT: 287.93

**ODOR:** Not available

SPECIFIC GRAVITY: 6.062 gm/ml VAPOR PRESSURE: No data

**SOLUBILITY IN WATER: Insoluble** 

CALCIUM TUNGSTATE PAGE 2

## SECTION 10 STABILITY AND REACTIVITY

STABILITY: Air and moisture stable

**HAZARDOUS POLYMERIZATION:** No hazardous polymerization.

CONDITIONS TO AVOID: None INCOMPATIBILITY: None

**DECOMPOSITION PRODUCTS: None** 

#### SECTION 11 TOXICOLOGICAL DATA

RTECS DATA: No specific information available on this product.

CARCINOGENIC EFFECTS: No component of this product present at levels greater than or equal to 0.1% is identified as probable,

possible or confirmed human carcinogen.

MUTAGENIC EFFECTS: No data

TETRATOGENIC EFFECTS: No data

TOXICITY DATA: No data

To the best of our knowledge the toxicological effects of this compound have not been fully investigated.

## **SECTION 12 ECOLOGICAL DATA**

No information available

## **SECTION 13 DISPOSAL CONSIDERATIONS**

Dispose of in according to local state and federal regulations.

## SECTION 14 TRANSPORTATION DATA

Non-hazardous material

## SECTION 15 REGULATORY INFORMATION

TSCA: Listed in the TSCA Inventory OSHA HAZARDS: None known

SARA 302 COMPONENTS: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA (TITLE 313): Title compound not listed

MASSACHUSETTS RIGHT TO KNOW COMPONENETS: No components are subject to the Massachusetts Right to Know Act.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS: Calcium wolframate NEW JERSEY RIGHT TO KNOW COMPONENTS: Calcium wolframate

CALIFORNIA PROP. 65 COMPONENTS: This product does not contain any chemicals known to State of California to cause cancer,

birth defects, or any other reproductive harm.

## **SECTION 16 OTHER INFORMATION**

DISCLAIMER: The information herein is believed to be accurate and reliable as of the date compiled. However, Prochem, Inc. makes no representation, warranty, or guarantee of any kind with respect to the information in this document or any use of the product based on the information.

DATE PREPARED: 02/14

SDS DEPT.

CALCIUM TUNGSTATE PAGE 3