

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA018A Issue date: 16/01/2013 Revision date: 05/06/2024 Supersedes version of: 11/03/2024 Version: 2.7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| Product form | : Substance |
|--|---|
| Name | : Carbon dioxide |
| EC-No. | : 204-696-9 |
| CAS-No. | : 124-38-9 |
| REACH registration No | : Listed in Annex IV / V REACH, exempted from registration. |
| Product code | : 000010021714 |
| Formula | : CO2 |
| REACH authorisation exemptions | : Exempted from REACH registration |
| 1.2. Relevant identified uses of the sub | stance or mixture and uses advised against |
| 1.2.1. Relevant identified uses | |
| Relevant identified uses | : Industrial and professional uses. Perform risk assessment prior to use. |
| | Consumer use. |
| | Test gas/Calibration gas. |
| | Purge gas, diluting gas, inerting gas. |
| | Food applications. |
| | Shield gas for welding processes. |
| | Use for manufacture of electronic/photovoltaic components. |
| | Extinguishing agent. |
| | Use as a biocide. |
| | Treatment of water intended for human consumption. |
| | It is the responsibility of the end user to ensure that the product as supplied is suitable for its |
| | intended use. |
| | |



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Use of the substance/mixture | : Aerosol propellant Bropallant ass |
|--|---|
| | Propellant gas |
| | Refrigerant |
| | Balance gas for mixtures. |
| | Biocidal uses. |
| | Blanketing gas. |
| | Carrier gas. |
| | Chemical synthesis. |
| | Combustion, melting and cutting processes. |
| | Cooling applications. |
| | Fire suppressant gas. |
| | Food freezing. |
| | Food packaging gas. |
| | Freezing, Cooling and heat transfer. |
| | Inflation systems. |
| | Plant growth promoter. |
| | Pressure head gas, operational assist gas in pressure systems. |
| | Process gas. |
| | Laser gas. |
| | Blast cleaning. Consumer use |
| | Creative, arts and entertainment activities |
| | Laboratory use |
| | beverage Application |
| | Purge gas, diluting gas, inerting gas. |
| | Solvent and extraction agents |
| 1.2.2. Uses advised against | |
| Uses advised against | : None. |
| 1.3. Details of the supplier of the safe | ty data sheet |
| Linde GmbH Division Gas | |
| Seitnerstr. 70 | |
| DE– 82049 Pullach | |
| Germany | |
| T +49 8974460 | |
| info@linde.com | |
| 1.4. Emergency telephone number | |
| Emergency number | : UMCO/NCEC: +44 1865 407333 (English); +49 89 220 61012 (German) |

| SECTION 2: Hazards i | dentification | |
|---|--------------------------------------|------|
| 2.1. Classification of the | substance or mixture | |
| Classification according to Regulation (EC) No. 1272/2008 [CLP] | | |
| Physical hazards | Gases under pressure : Liquefied gas | H280 |
| Full text of H- and EUH-statements: see section 16 | | |



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Adverse physicochemical, human health and environmental effects

No additional information available

| 2.2. Label elements | |
|---|---|
| Labelling according to Regulation (EC) No | . 1272/2008 [CLP] |
| Hazard pictograms (CLP) | |
| | GHSo4 |
| Signal word (CLP) | : Warning |
| Hazard statements (CLP) | : H280 - Contains gas under pressure; may explode if heated. |
| Precautionary statements (CLP) | |
| - Storage | : P403 - Store in a well-ventilated place. |
| Supplemental information | : Asphyxiant in high concentrations. |
| 2.3. Other hazards | |
| Other hazards | In high concentrations CO ₂ causes rapid circulatory insufficiency even at normal levels of oxygen concentration. Symptoms are headache, nausea and vomiting, which may lead to unconsciousness and death. Not classified as PBT or vPvB. Asphyxiant in high concentrations. Contact with liquid may cause cold burns/frostbite. The substance/mixture has no endocrine disrupting properties. |

SECTION 3: Composition/information on ingredients

3.1. Substances

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|----------------|--|-----|--|
| Carbon dioxide | CAS-No.: 124-38-9 EC-No.: 204-696-9 REACH-no: *1 | 100 | Press. Gas (Liq.), H28o |

Full text of H- and EUH-statements: see section 16

Contains no other components or impurities which will influence the classification of the product.

*1: Listed in Annex IV / V REACH, exempted from registration.

*3: Registration not required: Substance manufactured or imported < 1t/y.

3.2. Mixtures

Not applicable

| SECTION 4: First aid measures | |
|--|--|
| 4.1. Description of first aid measures | |
| First-aid measures after inhalation | : Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Perform cardiopulmonary resuscitation if breathing stopped. |
| First-aid measures after skin contact | : In case of frostbite spray with water for at least 15 minutes. Apply a sterile dressing. Obtain medical assistance. |



Safety Data Sheet

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

 First-aid measures after eye contact
 : Immediately flush eyes thoroughly with water for at least 15 minutes.

 First-aid measures after ingestion
 : Ingestion is not considered a potential route of exposure.

 4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and
delayedLow concentrations of CO2 cause increased respiration and headache.
In high concentrations may cause asphyxiation. Symptoms may include loss of
mobility/consciousness. Victim may not be aware of asphyxiation.
See section 11.

4.3. Indication of any immediate medical attention and special treatment needed

None.

| SECTION 5: Firefighting measures | |
|---|---|
| 5.1. Extinguishing media | |
| Suitable extinguishing media Unsuitable extinguishing media | Water spray or fog. Product does not burn, use fire control measures appropriate for the surrounding fire. Do not use water jet to extinguish. |
| 5.2. Special hazards arising from the substance | |
| Reactivity in case of fire Specific hazards Hazardous combustion products | No reactivity hazard other than the effects described in sub-sections below. Exposure to fire may cause containers to rupture/explode. None. |
| 5.3. Advice for firefighters | |
| Specific methods Special protective equipment for fire fighters | Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat radiation may cause gas receptacles to rupture. Cool endangered receptacles with water spray jet from a protected position. Prevent water used in emergency cases from entering sewers and drainage systems. If possible, stop flow of product. Use water spray or fog to knock down fire fumes if possible. Move containers away from the fire area if this can be done without risk. In confined space use self-contained breathing apparatus. Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters. Standard EN 469 - Protective clothing for firefighters. Standard - EN 659: Protective gloves for firefighters. Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask. |

| SECTION 6: Accidental release measu | ires |
|--|--|
| 6.1. Personal precautions, protective equi | pment and emergency procedures |
| 6.1.1. For non-emergency personnel | |
| Emergency procedures | : Act in accordance with local emergency plan. Try to stop release. Evacuate area. Ensure adequate air ventilation. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Stay upwind. See section 8 of the SDS for more information on personal protective equipment. |



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.2. For emergency responders

Emergency procedures

: Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. Oxygen detectors should be used when asphyxiating gases may be released. See section 5.3 of the SDS for more information.

6.2. Environmental precautions

Try to stop release.

6.3. Methods and material for containment and cleaning up

Methods and material for containment and cleaning up : Ventilate area.

6.4. Reference to other sections

See also sections 8 and 13.

| SECTION 7: Handling and storage | |
|------------------------------------|--|
| 7.1. Precautions for safe handling | |
| Safe use of the product | Containers, which contain or have contained flammable or explosive substances, must not be inerted with liquid carbon dioxide. Potential production of solid CO2 particles must be ruled out. Ir order to rule out potential electrostatic discharge production, the system must be adequately grounded. Be aware of the risk of formation of static electricity with the use of CO2 extinguishers. Do not use them in places where a flammable atmosphere may be present. The product must be handled in accordance with good industrial hygiene and safety procedures. Only experienced and properly instructed persons should handle gases under pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regularily) checked for leaks before use. Do not smoke while handling product. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt. Avoid suck back of water, acid and alkalis. Do not breathe gas. Avoid release of product into work area. |



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Safe handling of the gas receptacle | Refer to supplier's container handling instructions. Do not allow backfeed into the container. Protect containers from physical damage; do not drag, roll, slide or drop. When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders. | | | |
|--|--|--|--|--|
| | Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. | | | |
| | If user experiences any difficulty operating valve discontinue use and contact supplier. Never attempt to repair or modify container valves or safety relief devices. Damaged valves should be reported immediately to the supplier. Keep container valve outlets clean and free from contaminants particularly oil and water. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment. Close container valve after each use and when empty, even if still connected to equipment. Never attempt to transfer gases from one cylinder/container to another. Never use direct flame or electrical heating devices to raise the pressure of a container. Do not remove or deface labels provided by the supplier for the identification of the content of the container. Suck back of water into the container must be prevented. Open valve slowly to avoid pressure shock. | | | |
| 7.2. Conditions for safe storage, including | . , . | | | |
| Conditions for safe storage, including any incompatibilities | Observe all regulations and local requirements regarding storage of containers. Containers should not be stored in conditions likely to encourage corrosion. Container valve guards or caps should be in place. Containers should be stored in the vertical position and properly secured to prevent them from falling over. | | | |

Stored containers should be periodically checked for general condition and leakage.

Keep container below 50°C in a well ventilated place.

Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible materials.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Carbon dioxide (124-38-9) | |
|--|---------------------------------|
| EU - Indicative Occupational Exposure Limit (IOEL) | |
| Local name | Carbon dioxide |
| IOEL TWA | gooo mg/m³ |
| IOEL TWA [ppm] | 5000 ppm |
| Regulatory reference | COMMISSION DIRECTIVE 2006/15/EC |
| Germany - Occupational Exposure Limits (TRGS 900) | |
| Local name | Kohlenstoffdioxid |



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Carbon dioxide (124-38-9) | |
|---------------------------------|---|
| AGW (OEL TWA) [1] | 9100 mg/m³ |
| AGW (OEL TWA) [2] | 5000 ppm |
| Peak exposure limitation factor | 2() |
| Remark | DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK- Kommission); EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich) |
| Regulatory reference | TRGS900 |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

| Carbon dioxide (124-38-9) | | |
|--|-----------------|--|
| DNEL/DMEL (additional information) | | |
| Additional information None available. | | |
| PNEC (additional information) | | |
| Additional information | None available. | |

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

CO2 detectors should be used when CO2 may be released. Provide adequate general and local exhaust ventilation. Oxygen detectors should be used when asphyxiating gases may be released. Systems under pressure should be regularily checked for leakages. Ensure exposure is below occupational exposure limits (where available). Consider the use of a work permit system e.g. for maintenance activities.

8.2.2. Personal protection equipment

Personal protective equipment:

A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered: PPE compliant to the recommended EN/ISO standards should be selected.

8.2.2.1. Eye and face protection

Eye protection:

Wear goggles when transfilling or breaking transfer connections. Standard EN 166 - Personal eye-protection - specifications



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.2. Skin protection

Hand protection:

Wear working gloves when handling gas containers. Standard EN 388 - Protective gloves against mechanical risks, performance level 1 or higher. Wear cold insulating gloves when transfilling or breaking transfer connections. Standard EN 511 - Cold insulating gloves, performance level 1 or higher. Recommended types include insulated gauntlets or gloves specifically selected to prevent liquid penetration and ingress of cryogenic liquids and to provide mechanical resistance.

Other skin protection

Wear safety shoes while handling containers. Standard EN ISO 20345 - Personal protective equipment - Safety footwear.

Other information:

Wear safety shoes while handling containers. Standard EN ISO 20345 - Personal protective equipment - Safety footwear.

8.2.2.3. Respiratory protection

Respiratory protection:

Self contained breathing apparatus (SCBA) or positive pressure airline with mask are to be used in oxygen-deficient atmospheres. Self contained breathing apparatus is recommended, where unknown exposure may be expected, e.g. during maintenance activities on installation systems. Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask. Consult respiratory device supplier's product information for the selection of the appropriate device.

8.2.2.4. Thermal hazards

Thermal hazard protection:

None in addition to the above sections.

8.2.3. Environmental exposure controls

Environmental exposure controls:

None necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance | |
|---------------------------|--|
| Physical state | : Gas |
| Colour | : Colourless. |
| Form | : Liquefied gas |
| Odour | : Odourless. |
| Odour threshold | : Odour threshold is subjective and inadequate to warn of overexposure. |
| Melting point | : -78.5 °C Melting point at normal conditions does not exist. At atmospheric pressure solid carbon |
| | dioxide sublimes into gaseous carbon dioxide at -78.5°C |
| Freezing point | : -56.6 ℃ |
| Boiling point | : -56.6 ℃ |
| Flammability | : Non flammable. |
| Oxidising properties | : No oxidising properties. |
| Explosive limits | : Not known. |
| Lower explosion limit | : Not applicable. |
| Upper explosion limit | : Not applicable. |
| Flash point | : Not applicable for gases and gas mixtures. |
| Auto-ignition temperature | : Non flammable. |
| Decomposition temperature | : Not applicable. |
| | |



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| pH Viscosity, kinematic Viscosity, dynamic Solubility in water Partition coefficient n-octanol/water (Log Kow) Partition coefficient n-octanol/water (Log Pow) Vapour pressure Vapour pressure Vapour pressure at 50°C Critical pressure Density Relative density Relative vapour density at 20°C | Not applicable for gases and gas mixtures. Not applicable for gases and gas mixtures. o.07 mPa-s literature; Not applicable for gases and gas mixtures. zooo mg/l o.83 o.83 57.3 bar(a) 20 °C; No reliable data available. 7375 kPa o.771 g/cm³ 20.0 °C o.82 Not applicable. |
|---|--|
| Relative gas density Particle characteristics | 1.52 Not applicable Not applicable for gases and gas mixtures. Nanoforms are not relevant for gases and gas mixtures. |
| 9.2. Other information | |
| 9.2.1. Information with regard to physical hazard cla | sses |
| Critical temperature | : 31 °C |

9.2.2. Other safety characteristics

| Molecular mass | : 44 g/mol |
|------------------------|---|
| Gas group | : Press. Gas (Liq.) |
| Sublimation point | : -78.5 |
| Additional information | : Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground |
| | level. |

SECTION 10: Stability and reactivity

| | - | | | |
|-------|---|-----|-------|-------|
| 10.1. | | act | 11/11 | · \ / |
| | | | | |
| | | | | |

No reactivity hazard other than the effects described in sub-sections below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Avoid moisture in installation systems.

10.5. Incompatible materials

For additional information on compatibility refer to ISO 11114.

10.6. Hazardous decomposition products

None.



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| 11.1. Information on hazard classes as defined i | n Regulation (EC) No 1272/2008 |
|---|--|
| Acute toxicity | |
| | exceeded. |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |
| Skin corrosion/irritation | : No known effects from this product. |
| | pH: Not applicable for gases and gas mixtures. |
| Serious eye damage/irritation | : No known effects from this product. |
| | pH: Not applicable for gases and gas mixtures. |
| Respiratory or skin sensitisation | : No known effects from this product. |
| Germ cell mutagenicity | : No known effects from this product. |
| Carcinogenicity | : No known effects from this product. |
| Reproductive toxicity | : Not classified |
| Toxic for reproduction : Fertility | : No known effects from this product. |
| Toxic for reproduction : unborn child | : No known effects from this product. |
| STOT-single exposure | : No known effects from this product. |
| STOT-repeated exposure | : No known effects from this product. |
| Aspiration hazard | : Not applicable for gases and gas mixtures. |
| Carbon dioxide (124-38-9) | |
| Viscosity, kinematic | Not applicable for gases and gas mixtures. |
| 11.2. Information on other hazards | |
| 11.2.1. Endocrine disrupting properties | |
| Adverse health effects caused by endocrine disrupting properties | : The substance/mixture has no endocrine disrupting properties. |
| 11.2.2. Other information | |
| Other information | : Unlike simple asphyxiants, carbon dioxide has the ability to cause death even when normal oxyge levels (20-21%) are maintained. 5% CO2 has been found to act synergistically to increase the toxicity of certain other gases (CO, NO2). CO2 has been shown to enhance the production of carboxy- or met-hemoglobin by these gases possibly due to carbon dioxide's stimulatory effects the respiratory and circulatory systems, For more information, see 'EIGA Safety Info 24: Carbon Dioxide, Physiological Hazards' at www.eiga.eu, The substance/mixture has no endocrine disrupting properties. |

| 12.1. Toxicity | |
|--|---|
| Assessment Hazardous to the aquatic environment, short–term (acute) | No ecological damage caused by this product.Not classified |
| Hazardous to the aquatic environment, long–term (chronic) Not rapidly degradable | : Not classified |

SECTION 12: Ecological information



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Carbon dioxide (124-38-9) | |
|---|--|
| LC50 96 h - Fish [mg/l] | No data available. |
| EC50 48h - Daphnia magna [mg/l] | No data available. |
| EC50 72h - Algae [mg/l] | No data available. |
| 12.2. Persistence and degradability | |
| Carbon dioxide (124-38-9) | |
| Assessment | No ecological damage caused by this product. |
| 12.3. Bioaccumulative potential | |
| Carbon dioxide (124-38-9) | |
| Partition coefficient n-octanol/water (Log Pow) | 0.83 |
| Partition coefficient n-octanol/water (Log Kow) | 0.83 |
| Assessment | No ecological damage caused by this product. |
| 12.4. Mobility in soil | |
| Carbon dioxide (124-38-9) | |
| Assessment | No ecological damage caused by this product. |
| 12.5. Results of PBT and vPvB assessment | |
| Assessment | : Not classified as PBT or vPvB. |
| 12.6. Endocrine disrupting properties | |
| | : No known effects from this product. |
| Assessment | : The substance/mixture has no endocrine disrupting properties. |
| 12.7. Other adverse effects | |
| Other adverse effects | : No known effects from this product. |
| | : No effect on the ozone layer. |
| Global warming potential [CO2=1] | : 1 |
| Effect on global warming | : When discharged in large quantities may contribute to the greenhouse effect. Contains greenhouse gas(es). |

| SECTION 13: Disposal considerations | |
|--|--|
| 13.1. Waste treatment methods | |
| Waste treatment methods | Discharge to atmosphere in large quantities should be avoided. May be vented to atmosphere in a well ventilated place. Do not discharge into any place where its accumulation could be dangerous. Return unused product in original container to supplier. |
| List of hazardous waste codes (from Commission Decision 2000/532/EC as amended) | : 16 o5 o5 : Gases in pressure containers other than those mentioned in 16 o5 o4. |



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

13.2. Additional information

External treatment and disposal of waste should comply with applicable local and/or national regulations.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | ΙΑΤΑ | ADN | RID |
|-----------------------------|-------------------------|-----------------------------|-------------------------|------------------------|
| 14.1. UN number or ID nur | nber | 1 | | 1 |
| UN 1013 | UN 1013 | UN 1013 | UN 1013 | UN 1013 |
| 14.2. UN proper shipping r | name | | | · |
| CARBON DIOXIDE | CARBON DIOXIDE | Carbon dioxide | CARBON DIOXIDE | CARBON DIOXIDE |
| Transport document descript | ion | - | - | - |
| UN 1013 CARBON DIOXIDE, | UN 1013 CARBON DIOXIDE, | UN 1013 Carbon dioxide, 2.2 | UN 1013 CARBON DIOXIDE, | UN 1013 CARBON DIOXIDE |
| 2.2, (C/E) | 2.2 | | 2.2 | 2.2 |
| 14.3. Transport hazard cla | ss(es) | 1 | | 1 |
| 2.2 | 2.2 | 2.2 | 2.2 | 2.2 |
| | | | | |
| 14.4. Packing group | I | I | | I |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazar | ds | 1 | I | 1 |
| Dangerous for the | Dangerous for the | Dangerous for the | Dangerous for the | Dangerous for the |
| | environment: No | environment: No | environment: No | environment: No |
| environment: No | chivit of internet. Ho | | | |

14.6. Special precautions for user

Special transport precautions

: Avoid transport on vehicles where the load space is not separated from the driver's compartment, Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency, Before transporting product containers: - Ensure there is adequate ventilation, - Ensure that containers are firmly secured, - Ensure valve is closed and not leaking, - Ensure valve outlet cap nut or plug (where provided) is correctly fitted, - Ensure valve protection device (where provided) is correctly fitted.

Overland transport:2AClassification code (ADR)::378, 392, 584, 653, 662Special provisions (ADR):::Limited quantities (ADR)::12omlExcepted quantities (ADR)::E1



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Packing instructions (ADR) : P200 Mixed packing provisions (ADR) : MP9 Portable tank and bulk container instructions (ADR) : (M) Tank code (ADR) : PxBN(M) Tank special provisions (ADR) : TA4, TT9 Vehicle for tank carriage : AT Transport category (ADR) : 3 Special provisions for carriage - Loading, unloading and : CV9, CV10, CV36 handling (ADR) Hazard identification number (Kemler No.) : 20 Orange plates $\mathbf{20}$ 1013 Tunnel restriction code (ADR) : C/E Transport by sea Special provisions (IMDG) : 378 Limited quantities (IMDG) : 120 ml Excepted quantities (IMDG) : E1 : P200 Packing instructions (IMDG) EmS-No. (Fire) : F-C EmS-No. (Spillage) : S-V Stowage category (IMDG) : A Properties and observations (IMDG) : Liquefied, non-flammable gas. Heavier than air (1.5). Cannot remain in the liquid state above 31°C. Air transport PCA Excepted quantities (IATA) : E1 : FORBIDDEN PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) : FORBIDDEN PCA packing instructions (IATA) : 200 PCA max net quantity (IATA) : 75kg CAO packing instructions (IATA) : 200 CAO max net quantity (IATA) : 150kg Special provisions (IATA) : A202 ERG code (IATA) : 2L Inland waterway transport Classification code (ADN) : 2A : 378, 392, 584, 653, 662 Special provisions (ADN) Limited quantities (ADN) : 120 ml Excepted quantities (ADN) : E1 Equipment required (ADN) : PP Number of blue cones/lights (ADN) : 0 **Rail transport** Classification code (RID) : 2A Special provisions (RID) : 378, 392, 584, 653, 662 Limited quantities (RID) : 120ml Excepted quantities (RID) : E1 Packing instructions (RID) : P200

Mixed packing provisions (RID)

Portable tank and bulk container instructions (RID)

: MP9

: (M)



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Tank codes for RID tanks (RID) | : | PxBN(M) |
|--|---|-----------------|
| Special provisions for RID tanks (RID) | : | TA4, TT9, TM6 |
| Transport category (RID) | : | 3 |
| Special provisions for carriage - Loading, unloading and | : | CW9, CW10, CW36 |
| handling (RID) | | |
| Colis express (express parcels) (RID) | : | CE3 |
| Hazard identification number (RID) | : | 20 |

14.7. Maritime transport in bulk according to IMO instruments

IBC code

: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Not listed on REACH Annex XVII

REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Not listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Not listed on the PIC list (Regulation EU 649/2012)

POP Regulation (Persistent Organic Pollutants)

Not listed on the POP list (Regulation EU 2019/1021)

Ozone Regulation (1005/2009) Not listed on the Ozone Depletion list (Regulation EU 1005/2009)

| voc | Directive | (200/.) | (1.2) |
|-----|-----------|---------|-------|
| | Directive | (2004) | 44 |

Restrictions on use

Seveso Directive (Disaster Risk Reduction)

Seveso Directive : 2012/18/EU (Seveso III) : Not covered.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Ensure all national/local regulations are observed.

Safety data sheet in accordance with commission regulation (EU) No 2020/878.

Council Directive 89/391/EEC on the introduction of measures to encourage improvements in the safety and health of workers at work

Directive 2016/425/EEC on personal protective equipment

Directive 2014/34/EU on equipment and protective systems intended for use in potentially explosive atmospheres (ATEX)

None

Only products that comply with the food regulations (EC) No. 1333/2008 and (EU) No. 231/2012 and are labelled as such may be used as food additives. This Safety Data Sheet has been produced to comply with Regulation (EU) 2015/830.



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Germany |
|---------|
|---------|

| Employment restrictions | : Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG). | | | | | | |
|---|---|-------------|-----------------|--|------------------|----------------------|-----------------|
| Water hazard class (WGK) | : | WGK nwg, No | on-hazardous to | water (Classifica | tion according t | o AwSV; ID No. 256 |). |
| Kenn-Nr. | : | 256 | | | | | |
| Storage class (LGK, TRGS 510) | : LGK 2A - Gases (except aerosol dispensers and lighters). | | | | | | |
| Joint storage table | : | LGK 1 | LGK 2A | LGK 2B | LGK 3 | LGK 4.1A | |
| | | LGK 4.1B | LGK 4.2 | LGK 4.3 | LGK 5.1A | LGK 5.1B | |
| | | LGK 5.1C | LGK 5.2 | LGK 6.1A | LGK 6.1B | LGK 6.1C | |
| | | LGK 6.1D | LGK 6.2 | LGK 7 | LGK 8A | LGK 8B | |
| | | LGK 10 | LGK 11 | LGK 12 | LGK 13 | LGK 10-13 | |
| Joint storage not permitted for | : | | | 4.1B, LGK 4.2, LG K 6.2, LGK 7, LGI | | A, LGK 5.1B, LGK 5.2 | , LGK 6.1A, LGK |
| Joint storage with restrictions permitted for | : LGK 2A, LGK 2B, LGK 5.1C, LGK 8A, LGK 11, LGK 10-13. | | | | | | |
| Joint storage permitted for | : LGK 8B, LGK 12, LGK 13. | | | | | | |
| Hazardous Incident Ordinance (12. BImSchV) | : Is not subject to the Hazardous Incident Ordinance (12. BImSchV) | | | | | | |
| 15.2. Chemical safety assessment | | | | | | | |

A CSA does not need to be carried out for this product.

SECTION 16: Other information

Indication of changes:

Safety data sheet in accordance with commission regulation (EU) No 2020/878.

| Indication of changes | | | | |
|-----------------------|--------------------|--|--|--|
| | Change Comments | | | |

| Abbreviations and acronyms: | | | | | |
|-----------------------------|---|--|--|--|--|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways | | | | |
| | ADR - Agreement concerning the International Carriage of Dangerous Goods by Road | | | | |
| | ATE - Acute Toxicity Estimate | | | | |
| BLV | Biological limit value | | | | |
| BOD | Biochemical oxygen demand (BOD) | | | | |
| CAO | Cargo Aircraft only / Cargo Aircraft only | | | | |
| CAS-No. | Chemical Abstract Service number | | | | |
| | CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 | | | | |
| COD | Chemical oxygen demand (COD) | | | | |
| | CSA - Chemical Safety Assessment | | | | |
| DMEL | Derived Minimal Effect level | | | | |
| DNEL | Derived-No Effect Level | | | | |



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations a | Abbreviations and acronyms: | | | |
|-----------------|---|--|--|--|
| EC50 | Median effective concentration | | | |
| EC | European Inventory of Existing Commercial Chemical Substances | | | |
| ED | Endocrine disrupting properties | | | |
| | EINECS - European Inventory of Existing Commercial Chemical Substances | | | |
| EN | European Standard | | | |
| IARC | International Agency for Research on Cancer | | | |
| ΙΑΤΑ | International Air Transport Association | | | |
| IMDG | International Maritime Dangerous Goods | | | |
| IOELV | Indicative Occupational Exposure Limit Value | | | |
| LC50 | Median lethal concentration | | | |
| LD50 | Median lethal dose | | | |
| LOAEL | Lowest Observed Adverse Effect Level | | | |
| NOAEC | No-Observed Adverse Effect Concentration | | | |
| NOAEL | No-Observed Adverse Effect Level | | | |
| NOEC | No-Observed Effect Concentration | | | |
| N.O.S. | Not Otherwise Specified | | | |
| OECD | Organisation for Economic Co-operation and Development | | | |
| OEL | Occupational Exposure Limit | | | |
| РВТ | Persistent Bioaccumulative Toxic | | | |
| PCA | Passenger and Cargo Aircraft / Passenger and Cargo Aircraft | | | |
| PNEC | Predicted No-Effect Concentration | | | |
| | PPE - Personal Protection Equipment | | | |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 | | | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | | | |
| | RMM - Risk Management Measures | | | |
| STP | Sewage treatment plant | | | |
| ThOD | Theoretical oxygen demand (ThOD) | | | |
| TLM | Median Tolerance Limit | | | |
| TRGS | Technical Rules for Hazardous Substances | | | |
| STOT-RE | Specific Target Organ Toxicity-Repeated Exposure | | | |
| STOT-SE | Specific Target Organ Toxicity-Single Exposure | | | |
| UFI | Unique Formula Identifier | | | |
| | UN - United Nations | | | |
| VOC | Volatile Organic Compounds | | | |



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: | | | | |
|--------------------------------------|--|--|--|--|
| vPvB | Very Persistent and Very Bioaccumulative | | | |
| WGK | Water Hazard Class | | | |
| Training advice Other information | The hazard of asphyxiation is often overlooked and must be stressed during operator training. For more guidance, refer to EIGA SL o1 "Dangers of Asphyxiation", downloadable at http://www.eiga.eu Classification in accordance with the procedures and calculation methods of Regulation (EC) 1272/2008 (CLP). Key literature references and sources of data are maintained in EIGA doc 169 : 'Classification and Labelling Guide', downloadable at http://www.Eiga.eu . | | | |

| Full text of H- and EUH-statements: | | | | |
|-------------------------------------|--|--|--|--|
| H280 | Contains gas under pressure; may explode if heated. | | | |
| Press. Gas (Liq.) | Gases under pressure : Liquefied gas | | | |
| The classification complies w | vith : ATP 12 Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out. Details given in this document are believed to be correct at the time of going to press. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted. | | | |

Safety Data Sheet (SDS), EU DE

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

End of document