according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

#### Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: **7115** date of compilation: 10.03.2025

Version: **1.0 en** 

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance **Toluene** ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

Article number 7115

Registration number (REACH) 01-2119471310-51-xxxx

Index number in CLP Annex VI 601-021-00-3
EC number 203-625-9
CAS number 108-88-3

Alternative name(s) Methylbenzene

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
Giftzentrale München	Ismaninger Str. 22	81675 München	+49/(0)89 19240	www.toxikolo- gie.mri.tum.de

# SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Germany (en) Page 1 / 21

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 7115

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.7	Reproductive toxicity	2	Repr. 2	H361d
3.8D	Specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
3.10	Aspiration hazard	1	Asp. Tox. 1	H304
4.1C	Hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

**Pictograms** 

GHS02, GHS07, GHS08



#### **Hazard statements**

H225	Highly flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H361d	Suspected of damaging the unborn child
H373	May cause damage to organs (central nervous system) through prolonged or re-
	peated exposure (if inhaled)
H412	Harmful to aquatic life with long lasting effects

# **Precautionary statements**

#### **Precautionary statements - prevention**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P280 Wear protective gloves/protective clothing/eye protection/face protection

#### Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water P308+P313 IF exposed or concerned: Get medical advice/attention

P331 Do NOT induce vomiting

For professional users only

Germany (en) Page 2 / 21

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 7115

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger Hazard pictogram(s):







H304 May be fatal if swallowed and enters airways. H336 May cause drowsiness or dizziness. Suspected of damaging the unborn child. H361d H412 Harmful to aquatic life with long lasting effects.

Wear protective gloves/protective clothing/eye protection/face protection. IF exposed or concerned: Get medical advice/attention. P280

P308+P313

Do NOT induce vomiting. P331

#### Labelling of packages where the contents do not exceed 10 ml

Signal word: Not required

Hazard pictogram(s):



Hazard statements: Not required Precautionary statements: Not required

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

# SECTION 3: Composition/information on ingredients

#### 3.1 **Substances**

Name of substance Toluene

Molecular formula  $C_7H_8$ 

92,14 <sup>g</sup>/<sub>mol</sub> Molar mass

REACH Reg. No 01-2119471310-51-xxxx

CAS No 108-88-3 EC No 203-625-9

Index No 601-021-00-3

# SECTION 4: First aid measures

#### 4.1 **Description of first aid measures**



#### **General notes**

Take off contaminated clothing.

Page 3 / 21 Germany (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 7115

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following ingestion**

Call a physician immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Observe aspiration hazard if vomiting occurs.

# 4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Irritation, Dizziness, Drowsiness, Narcosis

# 4.3 Indication of any immediate medical attention and special treatment needed none

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

#### **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO<sub>2</sub>), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures



Germany (en) Page 4 / 21

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 7115

#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Use only in well-ventilated areas. Take precautionary measures against static discharge. Due to

danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond contain-

er and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only

non-sparking tools.

#### Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

## Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep in a cool place.

Germany (en) Page 5 / 21

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 7115

#### **Incompatible substances or mixtures**

Observe hints for combined storage. See also TRGS 510 (Germany). Incompatible materials: see section 10. Keep/store away from oxidizing substances.

#### Consideration of other advice:

Ground/bond container and receiving equipment.

#### Ventilation requirements

Use local and general ventilation.

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)

storage class (LGK):

#### Specific end use(s) 7.3

No information available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### **National limit values**

### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
DE	toluene	108-88- 3	AGW	50	190	100	380			H, Y	TRGS 900
EU	toluene	108-88- 3	IOELV	50	192	100	384			Н	2006/15/ EC

#### **Notation**

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Absorbed through the skin

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 STEL

TWA

hours time-weighted average (unless otherwise specified)
A risk of developmental toxicity does not need to be expected if the occupational exposure limit value and the biological limit value (BGW) are adhered to Υ

#### **Biological limit values**

Coun try	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
DE	toluene	108-88-3	toluene		BAT	75 μg/l	urine	DFG
DE	toluene	108-88-3	toluene		BLV	75 μg/l	urine	TRGS 903
DE	toluene	108-88-3	toluene		BAT	600 µg/l	whole blood	DFG
DE	toluene	108-88-3	toluene		BLV	600 µg/l	whole blood	TRGS 903
DE	toluene	108-88-3	o-cresol	hydr	BAT	1,5 mg/l	urine	DFG
DE	toluene	108-88-3	o-cresol	hydr	BLV	1,5 mg/l	urine	TRGS 903

**Notation** 

hydr Hydrolysis

Page 6 / 21 Germany (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 7115

#### **Human health values**

Relevant DNE	Relevant DNELs and other threshold levels							
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time				
DNEL	192 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects				
DNEL	384 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects				
DNEL	192 mg/m³	human, inhalatory	worker (industry)	chronic - local effects				
DNEL	384 mg/m³	human, inhalatory	worker (industry)	acute - local effects				
DNEL	384 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects				

#### **Environmental values**

Relevant	Relevant PNECs and other threshold levels						
End- point	Threshold level	Organism	Environmental com- partment	Exposure time			
PNEC	0,68 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)			
PNEC	0,68 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)			
PNEC	13,61 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)			
PNEC	16,39 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)			
PNEC	16,39 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)			
PNEC	2,89 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)			

#### 8.2 Exposure controls

### **Individual protection measures (personal protective equipment)**

#### Eye/face protection





Use safety goggle with side protection.

#### Skin protection





# hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

FKM (fluoro rubber)

Germany (en) Page 7 / 21

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 7115

#### material thickness

≥0,4 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

# • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (DGUV-Rule 112/190).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless

Odour characteristic

Melting point/freezing point -95 °C at 1.013 hPa (ECHA)

Boiling point or initial boiling point and boiling

range

110,6 °C at 1.013 hPa (ECHA)

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit 39 g/m³ (LEL) - 300 g/m³ (UEL) /

1,1 vol% (LEL) - 7,1 vol% (UEL)

Flash point 4,4 °C at 1.013 hPa (ECHA)

Auto-ignition temperature 480 °C at 1.013 hPa (ECHA) (auto-ignition temper-

ature (liquids and gases))

Decomposition temperature 450 °C at 1.013 hPa

Purpositive not determined not determined not determined

Dynamic viscosity 0,56 mPa s at 25 °C

Solubility(ies)

Water solubility 0,573 <sup>g</sup>/<sub>l</sub> at 25 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): 2,73 (pH value: 7, 20 °C) (ECHA)

Germany (en) Page 8 / 21

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 7115

Soil organic carbon/water (log KOC) 2,312 (ECHA Chem)

Vapour pressure 29 hPa at 20 °C

Density and/or relative density

Density  $0.87 \, {}^{\rm g}/{}_{\rm cm^3}$  at 20 °C (ECHA)

Relative vapour density 3,18 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

There is no additional information.

Other safety characteristics:

Gas group (explosion group) IIA

Maximum Experimental Safe Gap value; MESG >

0,9 mm

Maximum explosion pressure 7,7 bar

Surface tension 27,73 <sup>mN</sup>/<sub>m</sub> (25 °C), (ECHA)

Temperature class (EU, acc. to ATEX) T1

Maximum permissible surface temperature on

the equipment: 450°C

# SECTION 10: Stability and reactivity

#### 10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

#### If heated

Risk of ignition.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

# 10.3 Possibility of hazardous reactions

**Danger of explosion:** Perchlorates, Nitric acid, Sulphuric acid, Acetic acid, **Violent reaction with:** Mineral acids, Strong acid, strong oxidiser

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from heat. Decompostion takes place from temperatures above: 450 °C at 1.013 hPa.

#### 10.5 Incompatible materials

different Rubber articles, plastics

# 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

Germany (en) Page 9 / 21

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 7115

# SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Classification according to GHS (1272/2008/EC, CLP)

#### **Acute toxicity**

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	5.580 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA Chem
inhalation: vapour	LC50	28,1 <sup>mg</sup> / <sub>l</sub> /4h	rat		ECHA Chem
dermal	LD50	>5.000 <sup>mg</sup> / <sub>kg</sub>	rabbit		ECHA Chem

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Suspected of damaging the unborn child.

#### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

#### Specific target organ toxicity - repeated exposure

May cause damage to organs (central nervous system) through prolonged or repeated exposure (if inhaled).

Hazard category	Target organ	Exposure route
2	central nervous system	if inhaled

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

# **Endocrine disruptor for human health**

Shall not be classified as an endocrine disruptor for human health.

## Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

aspiration hazard

# If in eyes

causes slight to moderate irritation

#### If inhaled

dizziness, fatigue, narcosis

Germany (en) Page 10 / 21

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 7115

• If on skin

causes skin irritation

Other information

none

#### 11.2 Information on other hazards

There is no additional information.

# SECTION 12: Ecological information

#### 12.1 Toxicity

Acc. to 1272/2008/EC: Harmful to aquatic life with long lasting effects.

Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV):

WGK 3, highly hazardous to water (Germany)

Aquatic toxicity (acute)					
Endpoint	Value	Species	Source	Exposure time	
LC50	5,5 <sup>mg</sup> / <sub>l</sub>	fish	ECHA Chem	96 h	
EC50	84 <sup>mg</sup> / <sub>l</sub>	microorganisms	ECHA Chem	24 h	

Aquatic toxicity (ch	ronic)			
Endpoint	Value	Species	Source	Exposure time
LC50	3,78 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	2 d
EC50	3,78 <sup>mg</sup> / <sub>l</sub>	water flea (Daphnia)	ECHA Chem	2 d
LOEC	2,76 <sup>mg</sup> / <sub>l</sub>	water flea (Daphnia)	ECHA Chem	7 d
LOEC	2,77 <sup>mg</sup> / <sub>l</sub>	fish	ECHA Chem	40 d
NOEC	0,74 <sup>mg</sup> / <sub>l</sub>	water flea (Daphnia)	ECHA Chem	7 d
NOEC	1,39 <sup>mg</sup> / <sub>l</sub>	fish	ECHA Chem	40 d

#### 12.2 Persistence and degradability

Theoretical Oxygen Demand:  $3,125 \, {\rm mg/_{mg}}$ Theoretical Carbon Dioxide:  $3,343 \, {\rm mg/_{mg}}$ 

#### **Biodegradation**

The substance is readily biodegradable.

# 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	2,73 (pH value: 7, 20 °C) (ECHA)
BCF	90 (ECHA Chem)

Germany (en) Page 11 / 21

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 7115

#### 12.4 Mobility in soil

Henry's law constant	485 <sup>Pa m³</sup> / <sub>mol</sub> (ECHA)
The Organic Carbon normalised adsorption coefficient	2,312 (ECHA Chem)

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

#### 12.7 Other adverse effects

Data are not available.

# SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

# Properties of waste which render it hazardous

HP3 flammable

**HP 4** irritant - skin irritation and eye damage

HP 5 specific target organ toxicity (STOT)/aspiration toxicity

HP 10 toxic for HP 14 ecotoxic toxic for reproduction

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# SECTION 14: Transport information

#### 14.1 UN number or ID number

ADR/RID/ADN	UN 1294
IMDG-Code	UN 1294
ICAO-TI	UN 1294

#### 14.2 UN proper shipping name

Page 12 / 21 Germany (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

#### Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: **7115** 

ADR/RID/ADN	TOLUENE
IMDG-Code	TOLUENE
ICAO-TI	Toluene

#### 14.3 Transport hazard class(es)

ADR/RID/ADN	3
IMDG-Code	3
ICAO-TI	3

## 14.4 Packing group

ADR/RID/ADN	II
IMDG-Code	II
ICAO-TI	II

# **14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

# 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 <u>Information for each of the UN Model Regulations</u>

# Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name	TOLUENE
Particulars in the transport document	UN1294, TOLUENE, 3, II, (D/E)
Classification code	F1
Danger label(s)	3



Danger label(s)

Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	33

# International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name	TOLUENE
Particulars in the shipper's declaration	UN1294, TOLUENE, 3, II, 4,4°C c.c.
Marine pollutant	-

Germany (en) Page 13 / 21

3

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 7115



Special provisions (SP)

Excepted quantities (EQ) F2 Limited quantities (LQ) 1 L

**EmS** F-E, S-D

Stowage category

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Toluene

Particulars in the shipper's declaration UN1294, Toluene, 3, II

Danger label(s)



Excepted quantities (EQ) E2 Limited quantities (LQ) 1 L

# SECTION 15: Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

# Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Toluene	toluene	108-88-3	R48	48
Toluene	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Toluene	flammable / pyrophoric		R40	40
Toluene	substances in tattoo inks and per- manent make-up		R75	75

#### Legend

1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,
   games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
  2. Articles not complying with paragraph 1 shall not be placed on the market.
  3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume,

- or both, if they:

   can be used as fuel in decorative oil lamps for supply to the general public, and

   present an aspiration hazard and are labelled with H304.

  4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
- (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil

Page 14 / 21 Germany (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 7115

#### Legend

or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended

R40 for supply to the general public for entertainment and decorative purposes such as the following:

- metallic glitter intended mainly for decoration,

- artificial snow and frost,

- 'whoopee' cushions,

- silly string aerosols, imitation excrement, horns for parties, decorative flakes and foams,
- artificial cobwebs,
- stink bombs.
  2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.
- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
- 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.
- Shall not be placed on the market, or used, as a substance or in mixtures in a concentration equal to or greater than 0,1% by weight where the substance or mixture is used in adhesives or spray paints intended for supply to the general public.

  1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or R48
- R75 are present in the following circumstances:
  - (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
    (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant
  - category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by
  - (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by
  - (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

- (f) 0,1 % by weight, if the substance is used solely as a pH regulator;
  (ii) 0,01 % by weight, in all other cases;
  (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
  (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g
- (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:

- (Foduct type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
  (i) "Rinse-off products";
  (ii) "Not to be used in products applied on mucous membranes";
  (iii) "Not to be used in products applied on mucous membranes";
  (iii) "Not to be used in eye products";
  (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column; (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.

  2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.

  3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.

  4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:

  (a) Pigment Green 7 (CI 74260, EC No 205-685-1, CAS No 147-14-8);

  (b) Pigment Green 7 (CI 74260, EC No 205-685-1, CAS No 1328-53-6).

  5. If Part 3 of Annex VI to Regulation (EC) No 1272 amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

  7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

Page 15 / 21 Germany (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 7115

#### Legend

(a) the statement "Mixture for use in tattoos or permanent make-up";(b) a reference number to uniquely identify the batch;(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient to the list of ingredients in accordance with the nomenciature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredients are not need to be marked in accordance with this Regulation.

ent does not need to be marked in accordance with this Regulation;
(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration (f) the statement "Contains ricker can cause allergic reactions." If the final received the contains ricker below the content and limit specified in Appendix 13;

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below

the concentration limit specified in Appendix 13;

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this para-

graph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively. ively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

# List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

not listed

#### **Seveso Directive**

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity plication of lower quire	(tonnes) for the ap- and upper-tier re- ments	Notes
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)

# Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

#### **Deco-Paint Directive**

VOC content	100 %
VOC content (Water content was discounted)	870 <sup>g</sup> / <sub>l</sub>

#### **Industrial Emissions Directive (IED)**

VOC content	100 %
VOC content (Water content was discounted)	870 <sup>g</sup> / <sub>l</sub>

#### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Page 16 / 21 Germany (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 7115

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)				
N	lame of substance	CAS No	Remarks	Threshold for releases to air (kg/year)
	Toluene	108-88-3	(11)	

#### Legend

#### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Toluene	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

#### Legend

a)

Indicative list of the main pollutants

#### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

Name of substance	CAS No	Wt%	Classification	CN Code	Threshold level
Toluene	108-88-3	100	Category 3	2902 30 00	

#### Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

**National regulations (Germany)** 

Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water)(AwSV)

Wassergefährdungsklasse, WGK

(water hazard class):

3 (highly hazardous to water)

Index number: 194

Germany (en) Page 17 / 21

<sup>(11)</sup> Single pollutants are to be reported if the threshold for BTEX (the sum parameter of benzene, toluene, ethyl benzene, xylenes) is exceeded

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 7115

## Technical instructions on air quality control (Germany)

Number	Group of substances	Class	Conc.	Mass flow	Mass con- centration	Nota- tion
5.2.5	organic substances	class I	≥ 25 wt%	0,1 <sup>kg</sup> / <sub>h</sub>	20 <sup>mg</sup> / <sub>m³</sub>	3)

#### Notation

## Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)

Storage class (LGK): 3 (flammable or desensitizing explosive liquids)

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances

Name of substance	CAS No	Listed in	HS code
Toluene	108-88-3	Table II	2902.30

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
JP	ISHA-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)

Legend

Australian Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory CICR

CSCL-ENCS DSL ECSI

IECSC

INSQ

ISHA-ENCS

Norea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

**TSCA Toxic Substance Control Act** 

Page 18 / 21 Germany (en)

A total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m³, each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 7115

# 15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

# SECTION 16: Other information

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
AGW	Workplace exposure limit
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CN Code	Combined Nomenclature
DFG	Deutsche Forschungsgemeinschaft MAK-und BAT-Werte-Liste, Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Wiley-VCH, Weinheim
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation

Germany (en) Page 19 / 21

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 7115

Abbr.	Descriptions of used abbreviations
	(EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
LGK	Lagerklasse (storage class according to TRGS 510, Germany)
LOEC	Lowest Observed Effect Concentration
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TRGS	Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany)
TRGS 900	Arbeitsplatzgrenzwerte (TRGS 900)
TRGS 903	Biologische Grenzwerte (TRGS 903)
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs (central nervous system) through prolonged or repeated exposure (if inhaled).
H412	Harmful to aquatic life with long lasting effects.

Germany (en) Page 20 / 21

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# Toluene ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: **7115** 

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Germany (en) Page 21 / 21