



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		1/31

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Trifluoromethane (R 23)

Additional identification

Chemical name:	Trifluoromethane
Chemical formula:	CHF ₃
INDEX No.	-
CAS-No.	75-46-7
EC No.	200-872-4
REACH Registration No.	01-2119971823-29-0004

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:	Industrial and professional. Perform risk assessment prior to use. Fire extinguishers. Refrigerant. Use as an Intermediate (transported, on-site isolated). Use for electronic component manufacture. Using gas alone or in mixtures for the calibration of analysis equipment. Formulation of mixtures with gas in pressure receptacles.
Uses advised against	Consumer use.

1.3 Details of the supplier of the safety data sheet

Supplier



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		2/31

Linde GmbH (LLC), Division Gas
Seitnerstraße 70
D-82049 Pullach

Telephone: +44 1865 407333; opt.: +49 89 220
61012

E-mail: Info@de.linde-gas.com

1.4 Emergency telephone number: +44 1865 407333; opt.: +49 89 220 61012

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended.

Physical Hazards

Gases under pressure	Liquefied gas	H280: Contains gas under pressure; may explode if heated.
----------------------	---------------	---

2.2 Label Elements



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date: 16.01.2013

Version: 1.4

SDS No.: 000010021709

Last revised date: 18.05.2022

3/31



Signal Word: Warning

Hazard Statement(s): H280: Contains gas under pressure; may explode if heated.

Precautionary Statements

General None.

Prevention: None.

Response: None.

Storage: P403: Store in a well-ventilated place.

Disposal None.

Supplemental information

EIGA-0783: Contains fluorinated greenhouse gases

EIGA-As: Asphyxiant in high concentrations.

2.3 Other hazards Contact with evaporating liquid may cause frostbite or freezing of skin.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date: 16.01.2013

Version: 1.4

SDS No.: 000010021709

Last revised date: 18.05.2022

4/31

**SAFETY DATA SHEET**

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date: 16.01.2013

Version: 1.4

SDS No.: 000010021709

Last revised date: 18.05.2022

5/31

SECTION 3: Composition/information on ingredients**3.1 Substances**

Chemical name Trifluoromethane
INDEX No.: -
CAS-No.: 75-46-7
EC No.: 200-872-4
REACH Registration No.: 01-2119971823-29-0004
Purity: 100%

The purity of the substance in this section is used for classification only, and does not represent the actual purity of the substance as supplied, for which other documentation should be consulted.

Trade name: -

Chemical name	Chemical formula	Concentration	CAS-No.	REACH Registration No.	M-Factor:	Notes
Trifluoromethane	CHF3	100%	75-46-7	01-2119971823-29-0004	-	

The concentrations of the components in the SDS header, product name on page one and in section 3.2 are in mol due to regulatory requirements. All concentrations are nominal.

This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date: 16.01.2013

Version: 1.4

SDS No.: 000010021709

Last revised date: 18.05.2022

6/31

SECTION 4: First aid measures

General:

In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped.

4.1 Description of first aid measures

Inhalation:

In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped.

Eye contact:

Rinse the eye with water immediately. Remove contact lenses, if present and easy to do. Continue rinsing. Flush thoroughly with water for at least 15 minutes. Get immediate medical assistance. If medical assistance is not immediately available, flush an additional 15 minutes.

Skin Contact:

Contact with evaporating liquid may cause frostbite or freezing of skin.

Ingestion:

Ingestion is not considered a potential route of exposure.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		7/31

4.2 Most important symptoms and effects, both acute and delayed: Respiratory arrest. Contact with liquefied gas can cause damage (frostbite) due to rapid evaporative cooling.

4.3 Indication of any immediate medical attention and special treatment needed

Hazards: Respiratory arrest. Contact with liquefied gas can cause damage (frostbite) due to rapid evaporative cooling.

Treatment: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

SECTION 5: Firefighting measures

General Fire Hazards: Heat may cause the containers to explode.

5.1 Extinguishing media

Suitable extinguishing media: Material will not burn. In case of fire in the surroundings: use appropriate extinguishing agent.

Unsuitable extinguishing media: None.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		8/31

5.2 Special hazards arising from the substance or mixture: Fire or excessive heat may produce hazardous decomposition products.

Hazardous Combustion Products: If involved in a fire the following toxic and/or corrosive fumes may be produced by thermal decomposition: Carbonyl difluoride
; Carbon monoxide
; Hydrogen fluoride

5.3 Advice for firefighters

Special fire fighting procedures: In case of fire: Stop leak if safe to do so. Continue water spray from protected position until container stays cool. Use extinguishants to contain the fire. Isolate the source of the fire or let it burn out.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Guideline: EN 469 Protective clothing for firefighters. Performance requirements for protective clothing for firefighting. EN 15090 Footwear for firefighters. EN 659 Protective gloves for firefighters. EN 443 Helmets for fire fighting in buildings and other structures. EN 137 Respiratory protective devices - Self-contained open-circuit compressed air breathing apparatus with full face mask - Requirements, testing, marking.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date: 16.01.2013

Version: 1.4

SDS No.: 000010021709

Last revised date: 18.05.2022

9/31

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Evacuate area. Provide adequate ventilation. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. EN 137 Respiratory protective devices - Self-contained open-circuit compressed air breathing apparatus with full face mask - Requirements, testing, marking.

6.2 Environmental Precautions:

Prevent further leakage or spillage if safe to do so.

6.3 Methods and material for containment and cleaning up:

Provide adequate ventilation.

6.4 Reference to other sections:

Refer to sections 8 and 13.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date: 16.01.2013

Version: 1.4

SDS No.: 000010021709

Last revised date: 18.05.2022

10/31

SECTION 7: Handling and storage:



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		11/31

7.1 Precautions for safe handling:

Only experienced and properly instructed persons should handle gases under pressure. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Refer to supplier's handling instructions. The substance must be handled in accordance with good industrial hygiene and safety procedures. Protect containers from physical damage; do not drag, roll, slide or drop. Do not remove or deface labels provided by the supplier for the identification of the container contents. When moving containers, even for short distances, use appropriate equipment eg. trolley, hand truck, fork truck etc. Secure cylinders in an upright position at all times, close all valves when not in use. Provide adequate ventilation. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Avoid suckback of water, acid and alkalis. Keep container below 50°C in a well ventilated place. Observe all regulations and local requirements regarding storage of containers. When using do not eat, drink or smoke. Store in accordance with local/regional/national/international regulations. Never use direct flame or electrical heating devices to raise the pressure of a container. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. Damaged valves should be reported immediately to the supplier. Close container valve after each use and when empty, even if still connected to equipment. Never attempt to repair or modify container valves or safety relief devices. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment. Keep container valve outlets clean and free from contaminants particularly oil and water. If user experiences any difficulty operating container valve discontinue use and contact supplier. Never attempt to transfer gases from one container to another. Container valve guards or caps should be in place.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date: 16.01.2013 Version: 1.4 SDS No.: 000010021709
 Last revised date: 18.05.2022 12/31

7.2 Conditions for safe storage, including any incompatibilities: Containers should not be stored in conditions likely to encourage corrosion. Stored containers should be periodically checked for general conditions and leakage. Container valve guards or caps should be in place. Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible material.

7.3 Specific end use(s): None.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

DNEL-Values

Critical component	Type	Value	Remarks
Trifluoromethane	Workers - Inhalation, Systemic, long-term	1439 mg/m3	-
	Worker - inhalative, long-term - systemic	1439 mg/m3	-
	Workers - Eyes, Local effect		Hazard unknown (no further information necessary)

**SAFETY DATA SHEET**

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date: 16.01.2013

Version: 1.4

SDS No.: 000010021709

Last revised date: 18.05.2022

13/31

PNEC-Values

Critical component	Type	Value	Remarks
Trifluoromethane	Sediment (marine water)	0,067 mg/kg	-
Trifluoromethane	Aquatic (marine water)	0,016 mg/l	-
Trifluoromethane	Aquatic (intermit. releases)	1,545 mg/l	-
Trifluoromethane	Sediment (freshwater)	0,665 mg/kg	-
Trifluoromethane	Aquatic (freshwater)	0,155 mg/l	-
Trifluoromethane	Soil	0,043 mg/kg	-

8.2 Exposure controls**Appropriate engineering controls:**

Consider a work permit system e.g. for maintenance activities. Ensure adequate air ventilation. Oxygen detectors should be used when asphyxiating gases may be released. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. Systems under pressure should be regularly checked for leakages. Preferably use permanent leak tight connections (eg. welded pipes). Do not eat, drink or smoke when using the product.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		14/31

Individual protection measures, such as personal protective equipment

General information: A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered. Keep self contained breathing apparatus readily available for emergency use. Personal protective equipment for the body should be selected based on the task being performed and the risks involved.

Eye/face protection: Safety eyewear, goggles or face-shield to EN166 should be used to avoid exposure to liquid splashes. Wear eye protection to EN 166 when using gases.
Guideline: EN 166 Personal Eye Protection.

Skin protection

Hand Protection: Guideline: EN 388 Protective gloves against mechanical risks.
Additional Information: Wear working gloves while handling containers

Body protection: No special precautions.

Other: Wear safety shoes while handling containers
Guideline: ISO 20345 Personal protective equipment - Safety footwear.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		15/31

- Respiratory Protection:** When allowed by a risk assessment Respiratory Protective Equipment (RPE) may be used. The selection of the Respiratory Protective Device (RPD) must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected RPD. Self-contained breathing apparatus (SCBA) or positive pressure airline with mask are to be used in oxygen-deficient atmospheres.
Guideline: EN 137 Respiratory protective devices - Self-contained open-circuit compressed air breathing apparatus with full face mask - Requirements, testing, marking.
- Thermal hazards:** No precautionary measures are necessary.
- Hygiene measures:** Specific risk management measures are not required beyond good industrial hygiene and safety procedures. Do not eat, drink or smoke when using the product.
- Environmental exposure controls:** For waste disposal, see section 13 of the SDS.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		16/31

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state:	Gas
Form:	Liquefied gas
Color:	Colorless
Odor:	slight ethereal
Odor Threshold:	Odor threshold is subjective and is inadequate to warn of over exposure.
pH:	Not applicable.
Melting Point:	-155,1 °C Experimental result, Key study
Boiling Point:	-82,03 °C (101.325 Pa) Experimental result, Key study
Sublimation Point:	Not applicable.
Critical Temp. (°C):	25,6 °C
Flash Point:	Not applicable to gases and gas mixtures.
Evaporation Rate:	Not applicable to gases and gas mixtures.
Flammability (solid, gas):	This product is not flammable.
Flammability Limit - Upper (%):	Not applicable.
Flammability Limit - Lower (%):	Not applicable.
Vapor pressure:	47.054 hPa (25 °C) Experimental result, Key study
Vapor density (air=1):	2,4



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		17/31

Relative density: 1,4

Solubility(ies)

Solubility in Water: 733 mg/l (25 °C)

Partition coefficient (n-octanol/water): 0,64

Autoignition Temperature: Not applicable.

Decomposition Temperature: All fluorocarbons will undergo thermal decomp when exposed to flame or red-hot metal. fluorocarbons. When heated to decomp, emits toxic fumes of hydrogen fluoride.

Viscosity

Kinematic viscosity: No data available.

Dynamic viscosity: No data available.

Explosive properties: Not applicable.

Oxidizing properties: Not applicable.

9.2 Other information: Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.

Molecular weight: 70,01 g/mol (CHF₃)



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		18/31

SECTION 10: Stability and reactivity

10.1 Reactivity: No reactivity hazard other than the effects described in sub-section below.

10.2 Chemical Stability: Stable under normal conditions.

10.3 Possibility of hazardous reactions: None. Thermal decomposition yields toxic products which can be corrosive in the presence of moisture.

10.4 Conditions to avoid: None.

10.5 Incompatible Materials: No reaction with any common materials in dry or wet conditions. May react with aluminium.

10.6 Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date: 16.01.2013

Version: 1.4

SDS No.: 000010021709

Last revised date: 18.05.2022

19/31

SECTION 11: Toxicological information

General information: None.

11.1 Information on toxicological effects

Acute toxicity - Oral

Product

Based on available data, the classification criteria are not met.

Acute toxicity - Dermal

Product

Based on available data, the classification criteria are not met.

Acute toxicity - Inhalation

Product

Based on available data, the classification criteria are not met.

Repeated dose toxicity

Trifluoromethane

LOAEL (Rat(Female, Male), Inhalation, 90 d): > 10.000 ppm(m) Inhalation
Experimental result, Key study

Skin Corrosion/Irritation

Product

Based on available data, the classification criteria are not met.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		20/31

Serious Eye Damage/Eye Irritation

Product Based on available data, the classification criteria are not met.

Respiratory or Skin Sensitization

Product Based on available data, the classification criteria are not met.

Germ Cell Mutagenicity

Product Based on available data, the classification criteria are not met.

Carcinogenicity

Product Based on available data, the classification criteria are not met.

Reproductive toxicity

Product Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Product Based on available data, the classification criteria are not met.

Aspiration Hazard

Product Not applicable to gases and gas mixtures..



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		21/31

Other Relevant Toxicity Information

Trifluoromethane	Cardiac sensitisation threshold limit >172414 mg/m ³ Dog
------------------	---

Light hydrocarbons like this one have been associated with cardiac sensitization in abuse situations. Hypoxia or the injection of adrenaline-like substances enhances these effects. May produce irregular heart beat and nervous symptoms.

SECTION 12: Ecological information

General information:	Not applicable Not applicable
-----------------------------	-------------------------------

12.1 Toxicity

Acute toxicity

Product	No ecological damage caused by this product.
----------------	--

Acute toxicity - Fish

Trifluoromethane	LC 50 (Pimephales promelas, 96 h): 633,26 mg/l Remarks: QSAR QSAR, Key study
------------------	--



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		22/31

Acute toxicity - Aquatic Invertebrates

Trifluoromethane	LC 50 (Daphnia magna, 48 h): 323,05 mg/l	Remarks: QSAR QSAR, Key study
------------------	--	-------------------------------

12.2 Persistence and

Degradability

Product

Not applicable to gases and gas mixtures..

12.3 Bioaccumulative potential

Product

The subject product is expected to biodegrade and is not expected to persist for long periods in an aquatic environment.

12.4 Mobility in soil

Product

Because of its high volatility, the product is unlikely to cause ground or water pollution.

Trifluoromethane

Henry's Law Constant: 533,9 MPa (25 °C)

12.5 Results of PBT and vPvB

assessment

Product

Not classified as PBT or vPvB.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		23/31

12.6 Other adverse effects:

Global Warming Potential

Global warming potential: 14.800

Contains fluorinated greenhouse gases When discharged in large quantities may contribute to the greenhouse effect. For GWP value of mixture and quantities, refer to container label.

Trifluoromethane

EU. F-Gases Subject to Emission Limits/Reporting (Annexes I, II), Regulation 517/2014/EU on FGGs

- Global warming potential: 14800 Annex 1: Fluorinated greenhouse gases referred to in Point 1 of Article 2; Section 1:Hydrofluorocarbons (HFCs) and its mixtures

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information:

Do not discharge into any place where its accumulation could be dangerous. Vent to atmosphere in a well ventilated place. Avoid discharges to atmosphere. Do not discharge into any place where its accumulation could be dangerous. Refer to manufacturer or supplier for information on recovery or recycling.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		24/31

Disposal methods: Refer to the EIGA code of practice (Doc.30 "Disposal of Gases", downloadable at <http://www.eiga.org>) for more guidance on suitable disposal methods. Dispose of container via supplier only. Discharge, treatment, or disposal may be subject to national, state, or local laws.

European Waste Codes

Container:	16 05 05: Gases in pressure containers other than those mentioned in 16 05 04.
Container:	14 06 01*: chlorofluorocarbons, HCFC, HFC

SECTION 14: Transport information

ADR

14.1 UN Number:	UN 1984
14.2 UN Proper Shipping Name:	REFRIGERANT GAS R 23
14.3 Transport Hazard Class(es)	
Class:	2
Label(s):	2.2
Hazard No. (ADR):	20
Tunnel restriction code:	(C/E)
14.4 Packing Group:	—
14.5 Environmental hazards:	Not applicable



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		25/31

14.6 Special precautions for user: –

RID

14.1 UN Number:	UN 1984
14.2 UN Proper Shipping Name	REFRIGERANT GAS R 23
14.3 Transport Hazard Class(es)	
Class:	2
Label(s):	2.2
14.4 Packing Group:	–
14.5 Environmental hazards:	Not applicable
14.6 Special precautions for user:	–

IMDG

14.1 UN Number:	UN 1984
14.2 UN Proper Shipping Name:	REFRIGERANT GAS R 23
14.3 Transport Hazard Class(es)	
Class:	2.2
Label(s):	2.2
EmS No.:	F-C, S-V
14.4 Packing Group:	–
14.5 Environmental hazards:	Not applicable
14.6 Special precautions for user:	–



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		26/31

IATA

14.1 UN Number:	UN 1984
14.2 Proper Shipping Name:	Refrigerant gas R 23
14.3 Transport Hazard Class(es):	
Class:	2.2
Label(s):	2.2
14.4 Packing Group:	–
14.5 Environmental hazards:	Not applicable
14.6 Special precautions for user:	–
Other information	
Passenger and cargo aircraft:	Allowed.
Cargo aircraft only:	Allowed.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable

Additional identification:	Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers ensure that they are firmly secured. Ensure that the container valve is closed and not leaking. Container valve guards or caps should be in place. Ensure adequate air ventilation.
-----------------------------------	---



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		27/31

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, as amended.:

Not applicable

National Regulations

Council Directive 89/391/EEC on the introduction of measures to encourage improvements in the safety and health of workers at work Directive 2016/425/EEC on personal protective equipment Only products that comply with the food regulations (EC) No. 1333/2008 and (EU) No. 231/2012 and are labelled as such may be used as food additives.

This Safety Data Sheet has been produced to comply with Regulation (EU) 2015/830.

Water Hazard Class (WGK):

AWSV WGK 1: slightly water-endangering. Classification according to AwSV, Appendix 1 (5.2)



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date: 16.01.2013

Version: 1.4

SDS No.: 000010021709

Last revised date: 18.05.2022

28/31

Storage Classification: 2A: Gases

15.2 Chemical safety assessment:

According to Article 14 (4) of the REACH regulation this substance does not require a chemical safety assessment or exposure scenario. It does not fulfill the classification criteria for physical, chemical, health or environmental hazards, nor it is a PBT or a vPvB.

SECTION 16: Other information

Revision Information: Not relevant.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		29/31

Key literature references and sources for data:

Various sources of data have been used in the compilation of this SDS, they include but are not exclusive to:

Agency for Toxic Substances and Diseases Registry (ATSDR) (<http://www.atsdr.cdc.gov/>).

European Chemical Agency: Guidance on the Compilation of Safety Data Sheets.

European Chemical Agency: Information on Registered Substances <http://apps.echa.europa.eu/registered/registered-sub.aspx#search>

European Industrial Gases Association (EIGA) Doc. 169 "Classification and Labelling guide", as amended.

International Programme on Chemical Safety (<http://www.inchem.org/>)

ISO 10156:2010 Gases and gas mixtures - Determination of fire potential and oxidizing ability for the selection of cylinder valve outlets.

Matheson Gas Data Book, 7th Edition.

National Institute for Standards and Technology (NIST) Standard Reference Database Number 69.

The ESIS (European chemical Substances Information System) platform of the former European Chemicals Bureau (ECB) ESIS (<http://ecb.jrc.ec.europa.eu/esis/>).

The European Chemical Industry Council (CEFIC) ERICards.

United States of America's National Library of Medicine's toxicology data network TOXNET (<http://toxnet.nlm.nih.gov/index.html>)

Threshold Limit Values (TLV) from the American Conference of Governmental Industrial Hygienists (ACGIH).

Substance specific information from suppliers.

Details given in this document are believed to be correct at the time of publication.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021709
Last revised date:	18.05.2022		30/31

Wording of the H-statements in section 2 and 3

H280	Contains gas under pressure; may explode if heated.
------	---

Training information: Users of breathing apparatus must be trained. The hazard of asphyxiation is often overlooked and must be stressed during operator training. Ensure operators understand the hazards.

Classification according to Regulation (EC) No 1272/2008 as amended.

Press. Gas Liq. Gas, H280

Other information: Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out. Ensure adequate air ventilation. Ensure all national/local regulations are observed. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.

Last revised date: 18.05.2022

Disclaimer: This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Trifluoromethane (R 23)

Issue Date: 16.01.2013

Version: 1.4

SDS No.: 000010021709

Last revised date: 18.05.2022

31/31